

Product datasheet for RC210550L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Acyl coenzyme A Thioesterase 4 (ACOT4) (NM_152331) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Acyl coenzyme A Thioesterase 4 (ACOT4) (NM_152331) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Acyl coenzyme A Thioesterase 4

Synonyms: PTE-Ib; PTE1B; PTE2B

Mammalian Cell

Selection:

None

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC210550).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_152331

ORF Size: 1263 bp





Acyl coenzyme A Thioesterase 4 (ACOT4) (NM_152331) Human Tagged Lenti ORF Clone – RC210550L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 152331.2</u>

 RefSeq Size:
 1703 bp

 RefSeq ORF:
 1266 bp

 Locus ID:
 122970

 UniProt ID:
 Q8N9L9

Protein Pathways: Biosynthesis of unsaturated fatty acids

14q24.3

MW: 46.1 kDa

Cytogenetics:


Gene Summary: Acyl-CoA thioesterases are a group of enzymes that catalyze the hydrolysis of acyl-CoAs to the

free fatty acid and coenzyme A (CoASH), providing the potential to regulate intracellular levels of acyl-CoAs, free fatty acids and CoASH (PubMed:16940157). ACOT4 is a peroxisomal succinyl-coenzyme A thioesterase can also hydrolyze glutaryl-CoA and long chain saturated


acyl-CoAs (PubMed:16940157).[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC210550L1



Double digestion of RC210550L1 using Sgfl and Mlul