

Product datasheet for RC210569

FTS (AKTIP) (NM_001012398) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FTS (AKTIP) (NM_001012398) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	FTS
Synonyms:	FT1; FTS
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC210569 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGAACCCTTTCTGGAGCATGTCTACAAGCTCTGTACGCAAACGATCTGAAGGTGAAGAGAAGACATTAA
CAGGGGACGTGAAAACCAGTCTCCACGAACTGCACCAAAGAAACAGCTGCCTTCTATCCCAAAAATGC
TTTGCCATAAATAAGCCTACATCTCCTGCCCCAGCAGCACAGTCAACAAATGGCAGCATGCGTCCTAT
GGACCCTTCTACCTGGAATACTCTCTTCTGCAGAATTTACCTTGGTTGTGAAGCAGAAGCTACCAGGCG
TCTATGTGCAGCCATCTATCGCTCTGCATTAATGTGGTTTGGAGTAATATTCATACGGCATGGACTTTA
CCAAGATGGCGTATTTAAGTTTACAGTTTACATCCCTGATAACTATCCAGATGGTGACTGTCCACGCTTG
GTGTTTCGATATTCCTGTCTTTCACCCGCTAGTTGATCCCACCTCAGGTGAGCTGGATGTGAAGAGAGCAT
TTGCAAAATGGAGGCGGAACCATAATCATATTTGGCAGGTATTAATGTATGCAAGGAGAGTTTTCTACAA
GATTGATACAGCAAGCCCCCTGAACCCAGAGGCTGCAGTACTGTATGAAAAAGATATTCAGCTTTTTAAA
AGTAATGTTGTTGACAGTGTAAAGGTGTGCACTGCTCGTTTGTGGACCAACCTAAAATAGAAGACCCCT
ATGCAATTAGCTTTTCTCCATGGAATCCTTCTGTACATGATGAAGCCAGAGAAAAGATGCTGACTCAGAA
AAAGAAGCCTGAAGAACAGCACAAATAAAGTGTTCATGTTGCTGGCCTGTATGGGTAAGCCTGGCTCA
GTACAGCCTTTCAGTAAAGAAGAGAAAACAGTGCGGACT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC210569 protein sequence
Red=Cloning site Green=Tags(s)


MNPFWSMSTSSVRKRSEGEKTLTGDVKTSPRTPAPKKQLPSIPKNALPITKPTSPAPAAQSTNGTHASY
 GPFYLEYSLLAFTLVVKQKLPGVYVQPSYRSALMWFQVIFIRHGLYQDGVFKFTVYIPDNYPDGDCPRL
 VFDIPVFHPLVDPTSGELDVKRAFAKWRRNHNHIWQVLMYARRVFYKIDTASPLNPEAAVLYEKDIQLFK
 SNVVDVSVKVCARLFDQPKIEDPYAISFSPWNPSVHDEAREKMLTQKKKPEEQHNKSVHVAGLSWVKPGS
 VQFFSKEEKTAT

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6368_d06.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001012398

ORF Size: 879 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: NM_001012398.2, NP_001012398.1

RefSeq Size: 2222 bp

RefSeq ORF: 879 bp

Locus ID: 64400


UniProt ID: Q9H8T0

Cytogenetics: 16q12.2


MW: 33.2 kDa

Gene Summary: The mouse homolog of this gene produces fused toes and thymic hyperplasia in heterozygous mutant animals while homozygous mutants die in early development. This gene may play a role in apoptosis as these morphological abnormalities are caused by altered patterns of programmed cell death. The protein encoded by this gene is similar to the ubiquitin ligase domain of other ubiquitin-conjugating enzymes but lacks the conserved cysteine residue that enables those enzymes to conjugate ubiquitin to the target protein. This protein interacts directly with serine/threonine kinase protein kinase B (PKB)/Akt and modulates PKB activity by enhancing the phosphorylation of PKB's regulatory sites. Alternative splicing results in two transcript variants encoding the same protein. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC210569



Western blot validation of overexpression lysate (Cat# [LY411654]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC215277] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).