

## Product datasheet for RC210575

### NIPP1 (PPP1R8) (NM\_138558) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	NIPP1 (PPP1R8) (NM_138558) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PPP1R8
Synonyms:	ARD-1; ARD1; NIPP-1; NIPP1; PRO2047
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC210575 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGGCGGCAGCCGGAACCTCCGGCTCTAGCCTCCCGCTGTTTCGACTGCCAACCTGGGCAGGTAAGCCCC  
CTCCCGGTTTACATCTGGATGTAGTCAAAGGAGACAACTAATTGAGAACTGATTATTGATGAGAAGAA  
GTATTACTTATTTGGGAGAAACCCTGATTTGTGTGACTTTACCATTGACCACCAGTCTTGCTCTCGGGTC  
CATGCTGCACTTGTCTACCACAAGCATCTGAAGAGAGTTTTCTGATAGATCTCAACAGTACACACGGCA  
CTTTCTTGGGTACATTCGGTTGGAACCTCACAAGCCTCAGCAAATTCATCGATTCCACGGTCTCATT  
TGGCGCATCCACAAGGCATACACTCTGCGCGAGAAGCCTCAGACATTGCCATCGGCTGTGAAAGGAGAT  
GAGAAGATGGGTGGAGAGGATGATGAACTCAAGGGCTTACTGGGGCTTCCAGAGGAGGAAACTGAGCTTG  
ATAACCTGACAGAGTTTCACTGCCCACAACAAGCGGATTTCTACCTTACCATTGAGGAGGAAATCT  
GGACATTCAAAGACCAAGAGGAAGAGGAAGAAGCAAGGATGACATTGAGTGGATGATGAGATCATC  
AACCCAGAGGATGTGGATCCCTCAGTTGGTCGATTCAGGAACATGGTGCAAACCTGCAGTGGTCCCAGTCA  
AGAAGAAGCGTGTGGAGGGCCCTGGCTCCCTGGGCCTGGAGGAATCAGGGAGCAGGCCATGCAGAACTT  
TGCCCTCAGCGGAGGACTCTACGGGGCCCTGCCCCACACACAGTGAAGCAGGCTCCACGCCACATGGC  
ATCCATGGGACAGCACTCATCGGTGGCTTGCCCATGCCATACCCAAACCTTGCCCTGATGTGGACTTGA  
CTCCTGTTGTGCCGTGAGCAGTGAACATGAACCCTGCACCAAACCTGCAGTCTATAACCCTGAAGCTGT  
AAATGAACCCAAGAAGAAGAAATATGCAAAGAGGCTTGCCAGGCAAGAAGCCACACCTTCTTGCTG  
ATT

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC210575 protein sequence  
 Red=Cloning site Green=Tags(s)

MAAAANSGLPLFDCPTWAGKPPPGLHLDVVKGDKLIEKLIIDEKYYLFGRNPDLCDFIDHQSRSRV  
 HAALVYHKHLKRVFLIDLNSTHGTFGLGHIRLEPHKPPQIPIDSTVSFGASTRAYTLREKQTLPSAVKGD  
 EKMGGEDDELKGLLGLPEEETELDNLETFITAHNKRIKSTLTIEEGLNDIQRPKRKRKNSRVTFSEDEII  
 NPEDVDPVSVGRFRNMVQTAVVPVKKRVEGPGSLGLEESGSRMQNFASFSGGLYGLLPPTHSEAGSQPHG  
 IHGTALIGGLPMPYPNLAPDIDLTPVVPSAVNMNPAPNPVYVYVPEAVNEPKKKKYAKEAWPGKKPTPSLL  
 I

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Chromatograms: [https://cdn.origene.com/chromatograms/mk6281\\_b07.zip](https://cdn.origene.com/chromatograms/mk6281_b07.zip)

Restriction Sites: SgfI-MluI

Cloning Scheme:




Plasmid Map:




<b>ACCN:</b>	NM_138558
<b>ORF Size:</b>	1056 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq Size:</b>	2659 bp
<b>RefSeq ORF:</b>	630 bp
<b>Locus ID:</b>	5511
<b>UniProt ID:</b>	<a href="#">Q12972</a>
<b>Cytogenetics:</b>	1p35.3
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>MW:</b>	38.5 kDa
<b>Gene Summary:</b>	This gene, through alternative splicing, encodes three different isoforms. Two of the protein isoforms encoded by this gene are specific inhibitors of type 1 serine/threonine protein phosphatases and can bind but not cleave RNA. The third protein isoform lacks the phosphatase inhibitory function but is a single-strand endoribonuclease comparable to RNase E of E. coli. This isoform requires magnesium for its function and cleaves specific sites in A+U-rich regions of RNA. [provided by RefSeq, Jul 2008]


**Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY PPP1R8 (Cat# RC210575, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PPP1R8(Cat# [TA804812]). Positive lysates [LY408577] (100ug) and [LC408577] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY408577]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC210575 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified PPP1R8 protein (Cat# [TP310575]). The protein was produced from HEK293T cells transfected with PPP1R8 cDNA clone (Cat# RC210575) using MegaTran 2.0 (Cat# [TT210002]).