

## Product datasheet for RC210608L1

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## FKBP51 (FKBP5) (NM\_004117) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** FKBP51 (FKBP5) (NM\_004117) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: FKBP51

Synonyms: AIG6; FKBP51; FKBP54; P54; PPlase; Ptg-10

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC210608).

Sequence:

**Restriction Sites:** Sgfl-Mlul

Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_004117

ORF Size: 1371 bp





### FKBP51 (FKBP5) (NM\_004117) Human Tagged Lenti ORF Clone - RC210608L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 004117.2

RefSeq Size: 3781 bp RefSeq ORF: 1374 bp Locus ID: 2289

**UniProt ID:** Q13451 Cytogenetics: 6p21.31 Domains: FKBP, TPR

**Protein Families:** Druggable Genome

MW: 51 kDa

**Gene Summary:** The protein encoded by this gene is a member of the immunophilin protein family, which play

a role in immunoregulation and basic cellular processes involving protein folding and


trafficking. This encoded protein is a cis-trans prolyl isomerase that binds to the

immunosuppressants FK506 and rapamycin. It is thought to mediate calcineurin inhibition. It also interacts functionally with mature hetero-oligomeric progesterone receptor complexes along with the 90 kDa heat shock protein and P23 protein. This gene has been found to have multiple polyadenylation sites. Alternative splicing results in multiple transcript variants.


[provided by RefSeq, Mar 2009]



# **Product images:**



Circular map for RC210608L1



Double digestion of RC210608L1 using Sgfl and Mlul  $\,$