

Product datasheet for RC210614L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

AK2 (NM 013411) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: AK2 (NM 013411) Human Tagged ORF Clone Lentiviral Particle

Symbol: AK2 ADK2

Mammalian Cell Puromycin

Selection:

Synonyms:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

mGFP Tag:

NM 013411 ACCN:

ORF Size: 696 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC210614).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 013411.3

RefSeq Size: 3606 bp RefSeq ORF: 699 bp Locus ID: 204 **UniProt ID:** P54819 Cytogenetics: 1p35.1

Domains: ADK, ADK_lid

Protein Families: Druggable Genome





AK2 (NM_013411) Human Tagged ORF Clone Lentiviral Particle - RC210614L4V

Protein Pathways: Metabolic pathways, Purine metabolism

MW: 25.4 kDa

Gene Summary: Adenylate kinases are involved in regulating the adenine nucleotide composition within a cell

by catalyzing the reversible transfer of phosphate groups among adenine nucleotides. Three isozymes of adenylate kinase, namely 1, 2, and 3, have been identified in vertebrates; this gene encodes isozyme 2. Expression of these isozymes is tissue-specific and developmentally regulated. Isozyme 2 is localized in the mitochondrial intermembrane space and may play a role in apoptosis. Mutations in this gene are the cause of reticular dysgenesis. Alternate splicing results in multiple transcript variants. Pseudogenes of this gene are found on

chromosomes 1 and 2.[provided by RefSeq, Nov 2010]