

Product datasheet for **RC210628**

DDX4 (NM_024415) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DDX4 (NM_024415) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	DDX4
Synonyms:	VASA
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RC210628 ORF sequence
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGCC**

ATGGGAGATGAAGATTGGGAAGCAGAAATCAACCCTCATATGTCTTCTATGTTCCCATATTTGAGAAGG
ATAGGTATTCTGGAGAAAATGGAGACAATTTTAAACAGGACTCCAGCTTCATCATCAGAAAATGGATGATGG
ACCTTCTCGAAGAGATCATTTCATGAAAAGTGGATTTGCCTCTGGCGGAATTTTGGAAACAGAGATGCT
GGTGAGTGAATAAGCGAGATAATACATCCACAATGGGTGGTTTTGGAGTTGAAAGAGTTTTGGAAACA
GAGTTTTTCAAACAGCAGGTTTGAAGATGGTGATAGCTCTGGTTTTCTGGAGAGAGTCTAGTAATGACTG
CGAAGATAATCCAACACGGAACAGAGGGTTTTCCAAGAGAGGCGGCTATCGAGATGGAAAATATTCAGAA
GCTTCAGGGCCATACAGAAGAGGTGGAAGAGGTAGTTCCGAGGTTGCCGTGGAGGATTTGGTCTAGGAA
GTCCAAAATATGACTTAGACCCAGACGAATGTATGCAGCGCACTGGTGGCCTTTTTGGTTCTAGAAGACC
AGTATTAAGTGGCACAGGTAATGGTGATACTTCTCAAAGCAGAAGTGGCAGTGGAAAGTGAACGAGGTGGT
TACAAAGTTTTAAATGAAGAAGTAATAACAGGCTCTGGAAAAGAAATTCCTGGAAAGTCAGAAGCAGAAGGAG
GAGAAAAGTAGTACTCAAGGACCAAAAAGTGACCTACATACCCCTCCTCCACCTGAGGATGAGGACTC
CATCTTTGCACATTATCAGACAGGCATAAACTTCGACAAATACGACACTATTCTGTGGAAGTGTCTGGA
CATGATGCACCACCAGCAATTCTGACTTTTGAAGAAGCTAATCTCTGTCAGACACTGAATAACAACATTG
CTAAAGCTGGTTATACTAAGCTTACTCCTGTGCAAAAATACAGTATTCTATCATACTTGCGAGCAGAGA
TTTGATGGCTTGGCTCAAACAGGGTCTGGGAAGACTGCGGCTTTTCTCTACCAATTTTGGCTCATATG
ATGCATGATGGAATAACTGCCAGTCGTTTTAAAGAGTTGCAGGAACCAGAGTGTATTATTGTAGCACCAA
CTCGAAGATTGGTCAACCAGATTTATTTGGAAGCCAGAAAATTTCTTTTGGGACTTGTGAAGAGCTGT
TGTTATATATGGGGAAACCCAGCTGGGACATTCAATTCGACAAAATAGTACAAGGCTGTAATATATTATGT
GCTACTCCTGGAAGACTGATGGATATCATAGGCAAAAGAAAAGATTGGTCTCAAACAGATCAAATACTTAG
TTTTGGATGAAGCTGATCGCATGTTGGATATGGTTTTGGTCCAGAAAATGAAGAAGTTAATTTCTTGCCC
AGGAATGCCATCAAAGGAACAGCGCCAAACCTTATGTTCAAGTCAAACTTTTCCAGAGGAAATTCAAAGG
TTGGCTGCAGAGTTTTTAAAGTCAAATTATCTGTTTTGTTGCTGTTGGACAAGTGGGTGGAGCATGTAGAG
ATGTTCAAGCAGACCGTTCTCAAGTTGGCCAGTCTCAAAAAGAGAAAAGCTCGTTGAAATTTCTGCGAAA
CATAGGGGATGAAAGAACTATGGTCTTTGTTGAAACTAAGAAAAAGCAGATTTTATTGCACTTTTCTT
TGTCAGAAAAAATATCAACTACAAGTATTCATGGTGATCGGGAACAGAGAGAGCGGGAGCAAGCTCTTG
GAGATTTTCGCTTTGAAAGTGCCAGTCTTGTGTTGCTACTTCAGTAGCTGCCAGAGGGCTGGATATTGA
AAATGTGAACATGTTATCAATTTTGTCTTCTTCTACCATTGATGAATATGTTTCATCGAATTTGGCGT
ACTGGTCGTTGTGGGAATACTGGCAGAGCAATTTCTTTTTTGTCTTGAATCGGATAACCATTTAGCAC
AGCCTCTAGTAAAAGTATTGACAGATGCTCAACAGGATGTTCTGATGTTTGGAAAGAAATTCGCTTTAG
TACATACATTCTGGCTTCAAGTGGTGTACAAGAGGAAACGTGTTTGCATCAGTTGATACCAGAAAGGGC
AAGAGCACTTTGAACACAGCTGGGTTTTCTTCTTCAAGCTCCCAATCCAGTAGATGATGAGTCATGGG
AT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGAT AAGGTTTAA

Protein Sequence: >RC210628 protein sequence
 Red=Cloning site Green=Tags(s)

```


MGDEDWEAEINPHMSSYVPIFEKDRYSGENDNFNRTPASSEMDDGPSRRDHFMKSGFASGRNFGNRDA
GECNKRNDTSTMGGFGVVKSGFNGRGSNSRFEDGDSSGFWRSSNDCEPNPTRNRGFSKRGGYRDGNNSE
ASGPYRRGGGRGFRGCRGGFGLGSPNNDLPDECMQRTGGLFGSRRPVLSGTGNGDTSQSRSGSGSERGG
YKGLNEEVITGSGKNSWKSEAEGGESSDTQGPKVTYIPPPPEDEDSIFAHYQTGINFDKYDTILVEVSG
HDAPPAILTFFEEANLCQTLNNNIAKAGYTKLTPVQKYSIPIILAGRDLMACAQTGSGKTAFFLLPILAHM
MHDGITASRFKELQEPECIIVAPTRELVNQIYLEARKFSFGTCVRAVVIYGGTQLGHSIRQIVQGCNILC
ATPGRMLDIIGKEKIGLKQIKYLVLEADRMLDMGFGPEMKKLISCPGMPKSKEQRQTLMFSAFPFEEIQR
LAAEFLKSNYLFVAVGQVGGACRDVQQTVLVQVGFQSKREKLVEILRNIGDERTMVFVETKKKADFIATFL
CQEKISTTSIHGDREQREREQALGDFRFGKCPVLVATVSAARGLDIENVQHVINFDPSTIDEYVHRIGR
TGRCGNTGRAISFFDLESDNHLAQPLVKVLTDAQQDVPALWEEIAFSTYIPGFSGSTRGNVFAVSDTRKG
KSTLNTAGFSSSQAPNPVDESWD
    
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6586_d12.zip

Restriction Sites: Sgfl-MluI

Cloning Scheme:



ACCN: NM_024415

ORF Size: 2172 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_024415.3](#)

RefSeq Size: 2880 bp

RefSeq ORF: 2175 bp

Locus ID: 54514


UniProt ID: [Q9NQI0](#)

Cytogenetics: 5q11.2


MW: 79.3 kDa

Gene Summary:


DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. This gene encodes a DEAD box protein, which is a homolog of VASA proteins in *Drosophila* and several other species. The gene is specifically expressed in the germ cell lineage in both sexes and functions in germ cell development. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2009]

Product images:



Circular map for RC210628



Western blot validation of overexpression lysate (Cat# [LY427781]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC226957] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified DDX4 protein (Cat# [TP310628]). The protein was produced from HEK293T cells transfected with DDX4 cDNA clone (Cat# RC210628) using MegaTran 2.0 (Cat# [TT210002]).



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY DDX4 (Cat# RC210628, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DDX4 (Cat# [TA813383])(1:1000).