

## Product datasheet for RC210639L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TDP43 (TARDBP) (NM\_007375) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** TDP43 (TARDBP) (NM\_007375) Human Tagged ORF Clone Lentiviral Particle

Symbol: TDP43

Synonyms: ALS10; TDP-43

Mammalian Cell

Puromycin

NM 007375

Selection:

Vector:

ACCN:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ORF Size: 1242 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC210639).

Sequence:

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 007375.3</u>

 RefSeq Size:
 4236 bp

 RefSeq ORF:
 1245 bp

 Locus ID:
 23435

 UniProt ID:
 Q13148

Cytogenetics: 1p36.22

Domains: RRM

**Protein Families:** Transcription Factors





ORIGENE

**MW:** 44.7 kDa

**Gene Summary:** 

HIV-1, the causative agent of acquired immunodeficiency syndrome (AIDS), contains an RNA genome that produces a chromosomally integrated DNA during the replicative cycle. Activation of HIV-1 gene expression by the transactivator Tat is dependent on an RNA regulatory element (TAR) located downstream of the transcription initiation site. The protein encoded by this gene is a transcriptional repressor that binds to chromosomally integrated TAR DNA and represses HIV-1 transcription. In addition, this protein regulates alternate splicing of the CFTR gene. A similar pseudogene is present on chromosome 20. [provided by RefSeq, Jul 2008]