

Product datasheet for **RC210653**

RPL8 (NM_000973) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RPL8 (NM_000973) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	RPL8
Synonyms:	L8
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC210653 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGCCGTGTGATCCGTGGACAGAGGAAGGGCGCCGGTCTGTGTTCCGCGGCACGTGAAGCACCGTA
AAGGCGCTGCGCGCCTGCGCGCCGTGGATTCGCTGAGCGGCACGGCTACATCAAGGGCATCGTCAAGGA
CATCATCCACGACCCGGGCCGCGCGCCCTCGCCAAGGTGGTCTCCGGGATCCGTATCGGTTAAG
AAGCGGACGGAGCTGTTCAATGCCGCCGAGGGCATTACACGGGCCAGTTTGTGTATTGCGGCAAGAAGG
CCCAGCTCAACATTGGCAATGTGCTCCCTGTGGGCACCATGCCTGAGGGTACAATCGTGTGCTGCCTGGA
GGAGAAGCCTGGAGACCTGGCAAGCTGGCCCGGCATCAGGGAATATGCCACCGTTATCTCCACAAC
CCTGAGACCAAGAAGACCCGTGTGAAGCTGCCCTCCGGCTCCAAGAAGTTATCTCCTCAGCCAACAGAG
CTGTGGTTGGTGTGGTGGCTGGAGGTGGCCGAATTGACAAACCATCTTGAAGGCTGGCCGGCGTACCA
CAAATATAAGGCAAAGAGGAAGTCTGGCCACGAGTACGGGGTGTGGCCATGAATCCTGTGGAGCATCCT
TTTGGAGGTGGCAACCACCAGCACATCGGAAGCCCTCCACCATCCGAGAGATGCCCTGCTGGCCGA
AAGTGGGTCTCATTGCTGCCCGCGGACTGGACGTCTCCGGGAACCAAGACTGTGCAGGAGAAAGAGAA
C

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC210653 protein sequence
Red=Cloning site Green=Tags(s)

MGRVIRGQRKKGAGSVFRAHVKHKRGAARLRAVDF AERHGYIKGIVKDI IHDPGRGAPLAKVVFRDPYRFK
 KRTELFIAAEGIHGTGFVYCGKKAQLNIGNVLPVGTMPGEGTIVCCLEEKPGDRGKLARASGNATVISHN
 PETKKTRVKLPSGSKKVISSANRAVVGVVAGGGRIDKPKILKAGRAYHKYKAKRNCWPRVRGVAMNPVEHP
 FGGGNHQHIGKPSTIRRDPAGRKVGLIAARRTGRLRGTKTVQEKEN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6555_b02.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_000973

ORF Size: 771 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_000973.5
RefSeq Size:	903 bp
RefSeq ORF:	774 bp
Locus ID:	6132
UniProt ID:	P62917
Cytogenetics:	8q24.3
Domains:	Ribosomal_L2
Protein Pathways:	Ribosome
MW:	28 kDa
Gene Summary:	<p>Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L2P family of ribosomal proteins. It is located in the cytoplasm. In rat, the protein associates with the 5.8S rRNA, very likely participates in the binding of aminoacyl-tRNA, and is a constituent of the elongation factor 2-binding site at the ribosomal subunit interface. Alternatively spliced transcript variants encoding the same protein exist. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. [provided by RefSeq, Jul 2008]</p>


Product images:



Circular map for RC210653



Western blot validation of overexpression lysate (Cat# [LY424420]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC210653 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified RPL8 protein (Cat# [TP310653]). The protein was produced from HEK293T cells transfected with RPL8 cDNA clone (Cat# RC210653) using MegaTran 2.0 (Cat# [TT210002]).