

Product datasheet for RC210691L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

H2A.Z (H2AFZ) (NM_002106) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: H2A.Z (H2AFZ) (NM_002106) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: H2A.Z

Synonyms: H2A.z; H2A.Z-1; H2A/z; H2AFZ; H2AZ

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC210691).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_002106

ORF Size: 384 bp





H2A.Z (H2AFZ) (NM_002106) Human Tagged Lenti ORF Clone - RC210691L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002106.3</u>

 RefSeq Size:
 951 bp

 RefSeq ORF:
 387 bp

 Locus ID:
 3015

 UniProt ID:
 P0C0S5

 Cytogenetics:
 4q23

Domains: H2A, histone

Protein Families: Druggable Genome

Protein Pathways: Systemic lupus erythematosus

MW: 13.6 kDa


Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene encodes a replication-independent member of the histone H2A family that is distinct from other members of the family. Studies in mice have shown that this particular histone is required for embryonic development and indicate that lack of functional


histone H2A leads to embryonic lethality. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC210691L4



Double digestion of RC210691L4 using Sgfl and Mlul