

Product datasheet for RC210707L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Visfatin (NAMPT) (NM_005746) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Visfatin (NAMPT) (NM_005746) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: Visfatin

Synonyms: 1110035O14Rik; PBEF; PBEF1; VF; VISFATIN

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Sgfl-Mlul


E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC210707).

Sequence:

a<u>'</u>

Restriction Sites: Cloning Scheme:



^{*} The last codon before the Stop codon of the ORF

ACCN: NM_005746

ORF Size: 1473 bp



Visfatin (NAMPT) (NM_005746) Human Tagged Lenti ORF Clone - RC210707L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 005746.2</u>

 RefSeq Size:
 4593 bp

 RefSeq ORF:
 1476 bp

 Locus ID:
 10135

 UniProt ID:
 P43490

Cytogenetics: 7q22.3

Domains: NAPRTase

Protein Families: Druggable Genome

Protein Pathways: Nicotinate and nicotinamide metabolism

MW: 55.52 kDa

Gene Summary: This gene encodes a protein that catalyzes the condensation of nicotinamide with 5-


phosphoribosyl-1-pyrophosphate to yield nicotinamide mononucleotide, one step in the biosynthesis of nicotinamide adenine dinucleotide. The protein belongs to the nicotinic acid

phosphoribosyltransferase (NAPRTase) family and is thought to be involved in many important biological processes, including metabolism, stress response and aging. This gene


has a pseudogene on chromosome 10. [provided by RefSeq, Feb 2011]



Product images:



Circular map for RC210707L4



Double digestion of RC210707L4 using Sgfl and Mlul