

Product datasheet for RC210717L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Proteasome 20S alpha 5 (PSMA5) (NM 002790) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Proteasome 20S alpha 5 (PSMA5) (NM_002790) Human Tagged ORF Clone Lentiviral Particle

Symbol: Proteasome 20S alpha 5

PSC5: ZETA Synonyms: **Mammalian Cell**

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

mGFP Tag:

NM 002790 ACCN:

ORF Size: 723 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC210717).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 002790.2

RefSeq Size: 1023 bp RefSeq ORF: 726 bp Locus ID: 5686 **UniProt ID:** P28066 Cytogenetics: 1p13.3

Domains: proteasome

Protein Families: Druggable Genome, Protease





Proteasome 20S alpha 5 (PSMA5) (NM_002790) Human Tagged ORF Clone Lentiviral Particle – RC210717L4V

Protein Pathways: Proteasome

MW: 26.2 kDa

Gene Summary: The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S

core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. Multiple alternatively spliced transcript variants encoding two distinct isoforms have been

found for this gene. [provided by RefSeq, Dec 2010]