

Product datasheet for RC210720L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Glycophorin C (GYPC) (NM_002101) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Glycophorin C (GYPC) (NM_002101) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Glycophorin C

Synonyms: CD236; CD236R; GE; GE:GPC:GPD:GYPD; GPC; GPD; GYPD; PAS-2; PAS-2'

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC210720).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_002101

ORF Size: 384 bp





Glycophorin C (GYPC) (NM_002101) Human Tagged Lenti ORF Clone - RC210720L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002101.3</u>

 RefSeq Size:
 1075 bp

 RefSeq ORF:
 387 bp

 Locus ID:
 2995

 UniProt ID:
 P04921

Cytogenetics: 2q14.3

Protein Families: Druggable Genome, Transmembrane

MW: 13.6 kDa


Gene Summary: Glycophorin C (GYPC) is an integral membrane glycoprotein. It is a minor species carried by

human erythrocytes, but plays an important role in regulating the mechanical stability of red cells. A number of glycophorin C mutations have been described. The Gerbich and Yus phenotypes are due to deletion of exon 3 and 2, respectively. The Webb and Duch antigens, also known as glycophorin D, result from single point mutations of the glycophorin C gene. The glycophorin C protein has very little homology with glycophorins A and B. Alternate

splicing results in multiple transcript variants. [provided by RefSeq, Feb 2012]



Product images:



Circular map for RC210720L4