

Product datasheet for RC210764L3

VRK1 (NM_003384) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: VRK1 (NM_003384) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: VRK1

Synonyms: PCH1; PCH1A

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC210764).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_003384

ORF Size: 1188 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

VRK1 (NM_003384) Human Tagged Lenti ORF Clone - RC210764L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 003384.2</u>

RefSeq Size:1720 bpRefSeq ORF:1191 bpLocus ID:7443

 UniProt ID:
 Q99986

 Cytogenetics:
 14q32.2

Domains: pkinase, S TKc

Protein Families: Druggable Genome, Protein Kinase

MW: 45.3 kDa

Gene Summary: This gene encodes a member of the vaccinia-related kinase (VRK) family of serine/threonine

protein kinases. This gene is widely expressed in human tissues and has increased expression in actively dividing cells, such as those in testis, thymus, fetal liver, and

carcinomas. Its protein localizes to the nucleus and has been shown to promote the stability


and nuclear accumulation of a transcriptionally active p53 molecule and, in vitro, to phosphorylate Thr18 of p53 and reduce p53 ubiquitination. This gene, therefore, may regulate cell proliferation. This protein also phosphorylates histone, casein, and the

transcription factors ATF2 (activating transcription factor 2) and c-JUN. [provided by RefSeq,

Jul 2008]



Product images:



Circular map for RC210764L3