

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC210792L2V

## PKR (EIF2AK2) (NM\_002759) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	PKR (EIF2AK2) (NM_002759) Human Tagged ORF Clone Lentiviral Particle
Symbol:	PKR
Synonyms:	EIF2AK1; LEUDEN; PKR; PPP1R83; PRKR
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_002759
ORF Size:	1653 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC210792).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 002759.1</u>
RefSeq Size:	4361 bp
RefSeq ORF:	1656 bp
Locus ID:	5610
UniProt ID:	<u>P19525</u>
Cytogenetics:	2p22.2
Domains:	pkinase, DSRM, TyrKc, S_TKc
Protein Families:	Druggable Genome, Protein Kinase, Transcription Factors



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	PKR (EIF2AK2) (NM_002759) Human Tagged ORF Clone Lentiviral Particle – RC210792L2V
MW:	62.1 kDa
Gene Summary:	The protein encoded by this gene is a serine/threonine protein kinase that is activated by autophosphorylation after binding to dsRNA. The activated form of the encoded protein can phosphorylate translation initiation factor EIF2S1, which in turn inhibits protein synthesis. This protein is also activated by manganese ions and heparin. Three transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, Oct 2011]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US