

Product datasheet for RC210834L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ADAMTS5 (NM_007038) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: ADAMTS5 (NM 007038) Human Tagged ORF Clone Lentiviral Particle

Symbol: ADAMTS5

Synonyms: ADAM-TS 5; ADAM-TS5; ADAM-TS 11; ADAMTS-5; ADAMTS-11; ADAMTS11; ADMP-2

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 007038

ORF Size: 2790 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC210834).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 007038.2, NP 008969.1

RefSeq Size: 9663 bp
RefSeq ORF: 2793 bp
Locus ID: 11096
UniProt ID: Q9UNA0
Cytogenetics: 21q21.3

Domains: tsp_1, Reprolysin, ACR

Protein Families: Druggable Genome, Protease, Secreted Protein





ORIGENE

MW: 101.7 kDa

Gene Summary:

This gene encodes a member of the ADAMTS (a disintegrin and metalloproteinase with thrombospondin motifs) protein family. Members of the family share several distinct protein modules, including a propeptide region, a metalloproteinase domain, a disintegrin-like domain, and a thrombospondin type 1 (TS) motif. Individual members of this family differ in the number of C-terminal TS motifs, and some have unique C-terminal domains. The encoded preproprotein is proteolytically processed to generate the mature enzyme. This enzyme contains two C-terminal TS motifs and functions as an aggrecanase that cleaves aggrecan, a major proteoglycan of cartilage, and may mediate cartilage destruction in osteoarthritis. [provided by RefSeq, Feb 2016]