

## Product datasheet for **RC210862**

### EDAR (NM\_022336) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	EDAR (NM_022336) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	EDAR
Synonyms:	DL; ECTD10A; ECTD10B; ED1R; ED3; ED5; EDA-A1R; EDA1R; EDA3; HRM1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC210862 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGGCCCATGTGGGGACTGCACGCAGACGCCCTGGCTCCCCGTCTGGTGGTGTCTCTGATGTGCTCAG  
 CCCGAGCGGAATACTCAAACCTGCGGTGAGAACGAGTACTACAACCAGACTACGGGCTGTGCCAGGAGTG  
 CCCCCGTGTGGGCCGGGAGAGGCCCTACCTGTCTGTGGCTACGGCACCAAAGACGAGGACTACGGC  
 TCGCTCCCTGCCCGCGGAGAAGTTTTCAAAGGAGGCTACCAGATATGCAGGCGTCACAAAGACTGTG  
 AGGGCTTCTTCCGGGCCACCGTGTGACACCAGGGGACATGGAGAATGACGCTGAGTGTGGCCCTTGCT  
 CCCTGGCTACTACATGCTGGAGAACAGACCAGGAACATCTATGGCATGGTCTGCTACTCCTGCCTCCTG  
 GCACCCCCAACCAAGGAATGTGTGGAGCCACTTCAGGAGCTTCTGCCAACTCCCTGGCACCTCGG  
 GCAGCAGCACCTGTCTCCCTCCAGCACGCCACAAAGAACTCTCAGGCCAAGGACACCTGGCCACTGC  
 CCTGATCATTGCAATGTCCACCATCTTCATCATGGCCATCGCCATCGTCTCATCATGTTCTACATC  
 CTGAAGACAAAGCCCTCTGCCACGCTTGTGACCAGCCACCCGGGAAGAGCGTGGAGGCCAAAGTGA  
 GCAAGGACGAGGAGAAGAAAGAGGCCCCAGACAACGTGGTGTATGTTCTCTGAGAAGGATGAATTTGAGAA  
 GCTGACAGCAACTCCAGCAAAGCCACCAAGAGCGAGAACGATGCCTCATCCGAGAATGAGCAGCTGCTG  
 AGCCGGAGCGTCGACAGTGTGAGGAGCCCGCCCTGACAAGCAGGGCTCCCCGGAGCTGTGCCTGCTGT  
 CGCTGGTTCACCTGGCCAGGAGAAGTCTGCCACCAGCAACAAGTCAGCCGGGATTCAAAGCCGGAGGAA  
 AAAGATCTCGATGTGTATGCCAACGTGTGTGGAGTCGTGGAAGGCTTTAGCCCCACGGAGCTGCCATTT  
 GATTGTCTCGAGAAGACTAGCCGAATGCTCAGCTCCACGTACAACCTCTGAGAAGGCTGTTGTGAAAACGT  
 GCGCCACCTCGCCGAGAGCTTCGGCCTGAAGAGGGATGAGATTGGGGCATGACAGACGGCATGCAACT  
 CTTTGACCGCATCAGCACGGCAGGCTACAGCATCCCTGAGCTACTCACAAAACCTGGTGCAGATTGAGCGG  
 CTGGATGCTGTGAGTCTTGTGTGCAGACATACTGGAGTGGCGGGGGTTGTGCCACCTGCCTCCACG  
 CACATGCTGCATCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RC210862 protein sequence  
 Red=Cloning site Green=Tags(s)

MAHVGDCQTWPVLPVLSVLMCSARA EYSNCGENEYQNQTGLCQECPPCGPGEEPYLSCGYGTKDEDYD  
 CVPCPAEKFSKGGYQICRRHKDCEGFFRATVLPDGMENDAECGPCLPGYMLENRPRNIYGMVCSLL  
 APPNTKECVGATSGASANFPGTSGSSTLSPFQHAHKELSGQHLATALIAMSTIFIMAIIVLIIMFYI  
 LKTKPSAPACCTSHPGKSVEAQVSKDEEKKEAPDNVVMFSEKDEFEKL TATPAKPTKSENDASSENEQLL  
 SRSVDSDEEPAPDKQGSPELCLLSLVHLAREKSATSNKSAGIQSRRKILDVYANVCGVVEGLSPEL  
 DCLEKTSRMLSSTYNSEKAVVKTWRHLAESFGLKRDEIGGMTDGMQLFDRI STAGYSIPELLTKLVQIER  
 LDAVESL CADILEWAGVPPASQPHAAS

**TR**TRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:**

[https://cdn.origene.com/chromatograms/mk6137\\_a04.zip](https://cdn.origene.com/chromatograms/mk6137_a04.zip)

**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**


**ACCN:** NM\_022336

**ORF Size:** 1344 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
  2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
  3. Close the tube and incubate for 10 minutes at room temperature.
  4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
  5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_022336.4](#)

**RefSeq Size:** 4226 bp

**RefSeq ORF:** 1347 bp

**Locus ID:** 10913


**UniProt ID:** [Q9UNE0](#)

**Cytogenetics:** 2q13


**Domains:** DEATH  
**Protein Families:** Druggable Genome, Transmembrane  
**Protein Pathways:** Cytokine-cytokine receptor interaction  
**MW:** 48.6 kDa

**Gene Summary:** This gene encodes a member of the tumor necrosis factor receptor family. The encoded transmembrane protein is a receptor for the soluble ligand ectodysplasin A, and can activate the nuclear factor-kappaB, JNK, and caspase-independent cell death pathways. It is required for the development of hair, teeth, and other ectodermal derivatives. Mutations in this gene result in autosomal dominant and recessive forms of hypohidrotic ectodermal dysplasia. [provided by RefSeq, Jul 2008]


### Product images:



Circular map for RC210862



Western blot validation of overexpression lysate (Cat# [LY402917]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC210862 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified EDAR protein (Cat# [TP310862]). The protein was produced from HEK293T cells transfected with EDAR cDNA clone (Cat# RC210862) using MegaTran 2.0 (Cat# [TT210002]).