

Product datasheet for **RC210867**

PCDHGB5 (NM_032099) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PCDHGB5 (NM_032099) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PCDHGB5
Synonyms:	PCDH-GAMMA-B5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RC210867 ORF sequence
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGGGAGCGCGCCGGGGAGCTGGGCCGGCTGAGAGGCTGCCAGTGCTCTTTCTCTTCTGCTGTCTT
TGTTCTGCCCGGCTCTGTGAGCAGATCCGCTACAGGATCCCGAGGAAATGCCCAAGGGCTCCGTAGT
GGGAACTCGCCACGGACCTGGGGTTCAGCGTCCAGGAGTTACCGACTCGAAAACCTGCGCGTCAGTTCCG
GAGAAGCCTTACTTCACCGTGAGCGCAGAGAGCGGGGAGTTGCTTGTGAGCAGCAGGCTAGACAGGGAGG
AGATATGCCGGAAGAAGCCAGCTTGTGCTCTGGAATTTGAGGCTGTTGCTGAAAACTCACTGAACTTTTA
TCACGTGAATGTGGAGATCGAGGACATTAATGACCACACGCCAAAATTCACGCAAAATTCCTTTGAGCTG
CAAATAAGTGAGTCTGCACAGCCTGGCACAAGATTTATACTAGAAGTAGCAGAAGATGCAGATATTGGCT
TAAACTCTCTGCAGAAGTAAACTCTCTTAACCCAAGTTTCTCATTAAATAATTAAGGAGAAACAGGA
TGGTAGTAAATACCCGGAAGTGGCACTGGAGAAAACCTTAGACCGGGAACAACAGAGTTACCATCGTTTA
GTCTGACTGCCTTGGACGGTGGACATCCACCCTAAGCGGCACCACTGAGCTCCGGATCCAGGTAACCG
ACGCCAATGATAATCCCCGGTATTCAACCGAGACGTGTACAGAGTCAGCCTTCGGGAAAACGTGCCACC
AGGCACCACTGTGTTGCAAGTGTGAGCCACTGACCAAGACGAGGGCATCAACTCAGAAAATTACTTATTCC
TTCTACAGAACCAGGCAATCTTTAGTCTGAATTCAAAGAGCGGAGAAAATTAACCACTCAAAAAGAACTGG
ATTTTGAAGAGACCAAGGAATATCAATGGTGTGAGAAGGGAGGGATGGTGGTGGACTGGTTGCACAATG
TACAGTTGAAATTAATATCAAGATGAAAATGACAATAGCCGAGAAGTTACATTCATTCTCTACTTGAA
ATGATTTGAAAACCGCGTGCCTGGAACACTAATTGCTTTGATCAAAAATACATGACCAAGATTCTGGGG
AAAATGGGGAGGTTAATTGTCAATTACAAGGCGAAGTCCCTTTTAAAGTATATCTCTTCAAAAAATTC
GTATAAGTTGGTAACAGATGGAACCTTAGACCGAGAGCAAACCCGGAGTACAATGTACCATCACAGCC
ACAGACAGGGGCAAGCCGCCCTCTCCTCCAGCATAAGCGTCATCCTACATATCAGAGACGTCAACGATA
ACGCTCCGGTTTTCCACCAGGCGTCTACTTAGTCAGTGTACCCGAAAACAACCTCCTGGGGCCTCCAT
CGCGCAAGTCTGCGCCTCGGACCTGGACTTGGGGTTGAACGGCAAGTCTCTACTCTATCATGGCCAGC
GACCTAGAGCCTCTGGCACTGGCCTTTACGTGTCCATGAGCGCGCAAAGTGGGGTGGTGTTCGCGCAGC
GCGCCTTTGACTACGAGCAGCTGCGCACCTTCAACTCACACTACAGGCCCGGACCAGGGCTCGCCTGC
GCTCAGCGCAAACGTGAGCCTGCGCGTGTGGTGGGCGACCGAAACGACAACGCACCGGGGTGCTGTAC
CCCGCGTGGGTCCCGACGGCTCTGCGCTTTCGATATGGTGCCGCGCTGCAGAGCCCGGCTACCTGG
TGACCAAGGTAGTGGCCGTGGACGCAACTCAGGACACAACGCCTGGCTGTCTACCACGTGCTGCAGGC
TAGCGAGCCCGGCTCTTCAGCCTGGGGCTGCGCACAGGAGAGGTGCGCACAGCGCGTGCCTTGGGCGAC
AGGGACGCGGCCCGCCAGCGCCTGCTGGTTGCTGTGCGTGATGGTGGACAGCCGCCACTCTCCGCCACCG
CCACGCTGCACCTGGTCTTTGCTGACAGCTTGCAGGAGGTGCTGCCGGATCACTGACCGCCCTGTACC
CTCTGACCCCCAGGCTGAGCTGCAGTTTACCTAGTGGTGGCCTTGGCCTTGATCTCAGTGCTCTTCTC
CTGGCCGTGATTTGGCCGTTGCCTTGCCTGCGCCTGCGACGCTCCTCCAGCCCTGCCGCTGGAGCTGCTTC
AACCTGGTCTCTGTGCAAGTCTGGACCTGTGGTCCCCCAACTACAGTCAGGGGACTTTGCCTTATTC
CTACAACCTATGTGTTGCACATACAGGAAAGACGGAGTTAATTTCCATAAATGTAGTGAGCAATTGAGT
TCAGGACAAGACATACTTTGGTGTGATTACCTGGGGCCTTATTTCCACTTTGTAATTCCAGCGAGTCGA
CTTCCCATCTGAGTTGGTGTGAGTTTCATTTATGTCTATTCTTTTTTATTACCACCAATTTTCTGTATT
TACA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC210867 protein sequence
Red=Cloning site Green=Tags(s)

MGSGAGELGRAERLPVLFLFLLSLFCPALCEQIRYRIPEEMPKGSVVGNLATDLGFSVQELPTRKLRVSS
EKPYFTVSAESGELLVSSRLDREEICGKKPACALEFEAVAENPLNFYHVNVEIEDINDHTPKFTQNSFEL
QISESAQPGTRF ILEVAEDADIGLNSLQKYKLSLNPSFSLIIKEKQDGSKYPELALEKTLDREQQSYHRL
VLTALDGGHPPLSGTTELRIQVTDANDNPPVFNRDVYRVSLRENVPPGTTVLQVSATDQDEGINSEITYS
FYRTGQIFSLNSKSGEITTQKKLDFEETKEYSMVVEGRDGGGLVAQCTVEINIQDENDNSPEVTFHSLLE
MILENAVPGTLIALIKIHDQDSGENGEVNCQLQGEVPFKIISSSKNSYKLVTDGTLDTPEYNTITA
TDRGKPPLSISSISVILHIRDVNDNAPVHFQASYLVSPENPPGASIAQVCASDLDLGLNGQVSYSIMAS
DLEPLALASYVMSAQSGVVFAQRAFQDYEQLRTFELTLQARDQGSPALSANVSLRVLVGDNDNAPRVLY
PALGPDGSALFDMVPRAAEPGYLVTKVVAVDADSGHNAWLSYHVLQASEPGLFSLGLRTGEVRTARALGD
RDAARQRLLVAVRDGGQPPLSATATLHLVFADSLQEVLPDITDRPVPSDPQAEQFYLVALALISVFLFL
LAVILAVALLRRSSSPAAWSCFQPLCVKSGPVVPPNYSQGTLPYSYNLCVAHTGKTEFNFLKCSEQLS
SGQDILCGDSSGALFPLCNSSESTSHPPELVSFIVVYSFSLPTQFSVFT

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6692_g10.zip

Restriction Sites: Sgfl-MluI

Cloning Scheme:



ACCN: NM_032099

ORF Size: 2454 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_032099.1](#), [NP_115270.1](#)

RefSeq Size: 2457 bp

RefSeq ORF: 2457 bp

Locus ID: 56101

UniProt ID: [Q9Y5G0](#)


Cytogenetics: 5q31.3

Domains: CA


MW: 89.2 kDa

Gene Summary: This gene is a member of the protocadherin gamma gene cluster, one of three related clusters tandemly linked on chromosome five. These gene clusters have an immunoglobulin-like organization, suggesting that a novel mechanism may be involved in their regulation and expression. The gamma gene cluster includes 22 genes divided into 3 subfamilies. Subfamily A contains 12 genes, subfamily B contains 7 genes and 2 pseudogenes, and the more distantly related subfamily C contains 3 genes. The tandem array of 22 large, variable region exons are followed by a constant region, containing 3 exons shared by all genes in the cluster. Each variable region exon encodes the extracellular region, which includes 6 cadherin ectodomains and a transmembrane region. The constant region exons encode the common cytoplasmic region. These neural cadherin-like cell adhesion proteins most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been described for the gamma cluster genes. [provided by RefSeq, Jul 2008]


Product images:



Circular map for RC210867



Western blot validation of overexpression lysate (Cat# [LY410381]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC210867 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified PCDHGB5 protein (Cat# [TP310867]). The protein was produced from HEK293T cells transfected with PCDHGB5 cDNA clone (Cat# RC210867) using MegaTran 2.0 (Cat# [TT210002]).