

Product datasheet for RC211007

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

H2BC6 (NM_003523) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: H2BC6 (NM_003523) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: H2BC6

Synonyms: dJ221C16.8; H2B.h; H2B/h; H2BC4; H2BC7; H2BC8; H2BC10; H2BFH; HIST1H2BE

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC211007 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCCTGAGCCAGCGAAATCCGCTCCCGCCCCGAAGAAGGGCTCCAAGAAGGCCGTGACCAAGGCGCAGA AGAAGGACGCCAAGCAGCCCCCGAAGAAGAGCGCAAGCGCAAGCGCAAGGAGAGCTACTCCGTATACGTGTACAAGGTGCTGAA ACAGGTCCACCCCGACACCGGCATCTCCTCTAAAGCCATGGGGATCATGAATTCCTTTGTCAACGACATC TTCGAGCGCATCGCCGGCGAGGCTTCCCGCCTGGCGCATTACAACAAGCGCTCGACCATCACCTCCAGGG AGATCCAGACGGCCGTGCGCCTGCTTCCCGGGGAGCTGGCCAAGCACGCTGTGTCAGAGGGCACCAA GGCCGTTACCAAGTACACCAGCTCCAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC211007 protein sequence

Red=Cloning site Green=Tags(s)

MPEPAKSAPAPKKGSKKAVTKAQKKDGKKRKRSRKESYSVYVYKVLKQVHPDTGISSKAMGIMNSFVNDI

FERIAGEASRLAHYNKRSTITSREIQTAVRLLLPGELAKHAVSEGTKAVTKYTSSK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6371 a12.zip


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_003523

ORF Size: 378 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 003523.3</u>

RefSeq Size: 435 bp RefSeq ORF: 381 bp



 Locus ID:
 8344

 UniProt ID:
 P62807

 Cytogenetics:
 6p22.2

Protein Pathways: Systemic lupus erythematosus

MW: 13.9 kDa


Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. The protein has antibacterial and antifungal antimicrobial activity. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2B family. Transcripts from this gene lack polyA tails but instead contain a palindromic

termination element. This gene is found in the large histone gene cluster on chromosome 6.


[provided by RefSeq, Aug 2015]

Product images:



Circular map for RC211007





Western blot validation of overexpression lysate (Cat# [LY418611]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC211007 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).