

## Product datasheet for RC211042L4V

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### HIST2H2BF (H2BC18) (NM 001024599) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** HIST2H2BF (H2BC18) (NM\_001024599) Human Tagged ORF Clone Lentiviral Particle

Symbol: H2BC18
Synonyms: HIST2H2BF

Mammalian Cell

Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_001024599

ORF Size: 378 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC211042).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 001024599.2</u>

 RefSeq Size:
 495 bp

 RefSeq ORF:
 381 bp

 Locus ID:
 440689

 UniProt ID:
 Q5QNW6

 Cytogenetics:
 1q21.2

**Protein Pathways:** Systemic lupus erythematosus

**MW:** 13.9 kDa





# HIST2H2BF (H2BC18) (NM\_001024599) Human Tagged ORF Clone Lentiviral Particle – RC211042L4V

#### **Gene Summary:**

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene encodes a replication-dependent histone that is a member of the histone H2B family and is found in a histone cluster on chromosome 1. [provided by RefSeq, Aug 2015]