

Product datasheet for RC211151L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HYAL4 (NM_012269) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: HYAL4 (NM_012269) Human Tagged ORF Clone Lentiviral Particle

Symbol: HYAL4

Synonyms: CSHY; HYAL-4

Mammalian Cell

Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_012269

ORF Size: 1443 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC211151).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 012269.1

 RefSeq Size:
 2411 bp

 RefSeq ORF:
 1446 bp

 Locus ID:
 23553

 UniProt ID:
 Q2M3T9

 Cytogenetics:
 7q31.32

Domains: Glyco_hydro_56

Protein Pathways: Glycosaminoglycan degradation, Metabolic pathways





ORIGENE

MW: 54.3 kDa

Gene Summary:

This gene encodes a protein which is similar in structure to hyaluronidases but lacks hyaluronidase activity. The encoded protein acts as a chondroitin-sulfate-specific endo-beta-N-acetylgalactosaminidase; that is, it exhibits hydrolytic activity toward chondroitin sulfate chains and degrades them into oligosaccharides. Proteoglycans are formed by the covalent linkage of chondroitin sulfate chains to protein. Proteoglycans are ubiquitous components of the extracellular matrix of connective tissues and are also found at the surface of many cell types where they participate in a variety of cellular processes such as cell proliferation, differentiation, migration, cell-cell recognition, extracellular matrix deposition, and tissue morphogenesis. The expression of this gene is highest in testes and placenta. [provided by RefSeq, Apr 2019]