

### Product datasheet for RC211299L3

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Casein Kinase 2 beta (CSNK2B) (NM\_001320) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Casein Kinase 2 beta (CSNK2B) (NM 001320) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Casein Kinase 2 beta

Synonyms: CK2B; CK2N; Ckb1; Ckb2; CSK2B; G5A; POBINDS

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC211299).

Sequence:

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001320

ORF Size: 645 bp



#### Casein Kinase 2 beta (CSNK2B) (NM\_001320) Human Tagged Lenti ORF Clone - RC211299L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001320.5</u>

RefSeq Size: 1149 bp
RefSeq ORF: 648 bp
Locus ID: 1460
UniProt ID: P67870

**Cytogenetics:** 6p21.33

**Domains:** CK\_II\_beta

**Protein Families:** Druggable Genome

**Protein Pathways:** Adherens junction, Tight junction, Wnt signaling pathway

MW: 24.9 kDa

**Gene Summary:** This gene encodes the beta subunit of casein kinase II, a ubiquitous protein kinase which


regulates metabolic pathways, signal transduction, transcription, translation, and replication. The enzyme is composed of three subunits, alpha, alpha prime and beta, which form a tetrameric holoenzyme. The alpha and alpha prime subunits are catalytic, while the beta subunit serves regulatory functions. The enzyme localizes to the endoplasmic reticulum and

the Golgi apparatus. Two transcript variants encoding different isoforms have been found for

this gene. [provided by RefSeq, Sep 2013]



# **Product images:**



Circular map for RC211299L3