

Product datasheet for RC211299L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Casein Kinase 2 beta (CSNK2B) (NM 001320) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Casein Kinase 2 beta (CSNK2B) (NM_001320) Human Tagged ORF Clone Lentiviral Particle

Symbol: Casein Kinase 2 beta

Synonyms: CK2B; CK2N; Ckb1; Ckb2; CSK2B; G5A; POBINDS

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 001320

ORF Size: 645 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC211299).

Sequence:
OTI Disclaimer:

Domains:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001320.5

 RefSeq Size:
 1149 bp

 RefSeq ORF:
 648 bp

 Locus ID:
 1460

 UniProt ID:
 P67870

 Cytogenetics:
 6p21.33

Protein Families: Druggable Genome

CK_II_beta





Casein Kinase 2 beta (CSNK2B) (NM_001320) Human Tagged ORF Clone Lentiviral Particle – RC211299L3V

Protein Pathways: Adherens junction, Tight junction, Wnt signaling pathway

MW: 24.9 kDa

Gene Summary: This gene encodes the beta subunit of casein kinase II, a ubiquitous protein kinase which

regulates metabolic pathways, signal transduction, transcription, translation, and replication. The enzyme is composed of three subunits, alpha, alpha prime and beta, which form a tetrameric holoenzyme. The alpha and alpha prime subunits are catalytic, while the beta subunit serves regulatory functions. The enzyme localizes to the endoplasmic reticulum and the Golgi apparatus. Two transcript variants encoding different isoforms have been found for

this gene. [provided by RefSeq, Sep 2013]