

## Product datasheet for **RC211321L4V**

### PCDHGB4 (NM\_032098) Human Tagged ORF Clone Lentiviral Particle

#### Product data:

Product Type:	Lentiviral Particles
Product Name:	PCDHGB4 (NM_032098) Human Tagged ORF Clone Lentiviral Particle
Symbol:	PCDHGB4
Synonyms:	CDH20; FIB2; PCDH-GAMMA-B4
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_032098
ORF Size:	2409 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC211321).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<a href="#">NM_032098.1</a> , <a href="#">NP_115269.1</a>
RefSeq Size:	2412 bp
RefSeq ORF:	2412 bp
Locus ID:	8641
UniProt ID:	<a href="#">Q9UN71</a>
Cytogenetics:	5q31.3
MW:	87.4 kDa


[View online »](#)

**Gene Summary:**

This gene is a member of the protocadherin gamma gene cluster, one of three related clusters tandemly linked on chromosome five. These gene clusters have an immunoglobulin-like organization, suggesting that a novel mechanism may be involved in their regulation and expression. The gamma gene cluster includes 22 genes divided into 3 subfamilies. Subfamily A contains 12 genes, subfamily B contains 7 genes and 2 pseudogenes, and the more distantly related subfamily C contains 3 genes. The tandem array of 22 large, variable region exons are followed by a constant region, containing 3 exons shared by all genes in the cluster. Each variable region exon encodes the extracellular region, which includes 6 cadherin ectodomains and a transmembrane region. The constant region exons encode the common cytoplasmic region. These neural cadherin-like cell adhesion proteins most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. This particular family member is expressed in fibroblasts and is thought to play a role in wound healing in response to injury. Alternative splicing has been described for the gamma cluster genes. [provided by RefSeq, Jul 2008]