

Product datasheet for RC211400

OR4A15 (NM_001005275) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	OR4A15 (NM_001005275) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	OR4A15
Synonyms:	OR11-118
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC211400 representing NM_001005275 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGAGCTTCTGACAAATAATCTCAAATTTATCACTGACCCTTTTGTGGTAGGCTCCGACACCTGAGTC
CAACACCTTCAGAAGAACACATGAAAAATAAGAACAATGTGACTGAATTTATCCTCTTAGGGCTCACACA
GAACCTGAGGGGCAAAAGGTTTTATTTGTCACATTCTACTAATCTACATGGTGACGATAATGGGCAAC
CTGCTTATCATAGTGACCATCATGGCCAGCCAGTCCCTGGGTCCCCCATGTACTTTTTCTGGCTTCTT
TATCATTATAGATACCGTCTATTCTACTGCATTTGCTCCAAAATGATTGTTGACTTGCTCTGAGAA
AAAGACCATTTCCCTTTCAGGGTTGATGGCTCAACTTTTTATGGATCATTTATTGCTGGTGTGAAGTC
ATCTTCTGGTGGTAATGGCCTATGATCGATACATGGCCATCTGTAAGCCTTTCATGAATTGATCACCA
TGAATCGTCGAGTCTGTGTTCTTATGCTGTTGGCGGCCTGGATTGGAGGCTTTCTCACTCATTGGTTCA
ATTTCTCTTTATTTATCAGCTCCCTTCTGTGGACCAATGTCATTGACAACCTCCTGTGTGATTGAT
CCCTTATTGAACTTGCTTGACCAATACCTATGTCACCTGGGCTTTCTATGATAGCTAATGGAGGAGCGA
TTTGTGCTGTACCTTCTCACTATCCTGCTTTCCTATGGGGTCATATTACACTCTTAAAGACTCAGAG
TTTGAAGGGAACGAAAAGCTTTACACCTGTGCATCCACGTCACCTGGTCAATTTATTCTTTGTC
CCCTGTATCTTGTATGCAAGGCCAATTCTACTTTTCCCATTGATAAATCCATGACTGTAGTTCTAA
CTTTTATAACTCCATGCTGAACCACTAATCTATACCCTGAAGAATGCAGAAATGAAAAGTGCCATGAG
GAACTTTGGAGTAAAAAGTAAGCTTAGCTGGGAAATGGCTGTATCACTCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC211400 representing NM_001005275
Red=Cloning site Green=Tags(s)

MELLTNNLKFITDPFVCRLRHLSPPTSEEHMKNKNNVTEFILLGLTQNPEGQKLVFVTFLLIYMVTIMGN
 LLIIIVTIMASQSLGSPMYFFLASLSFIDTVYSTAFAPKMIVDLLSEKTKISFQGCAQLFMDHLFAGAEV
 ILLVVMAYDRYMAICKPLHELITMNRRCVLMLLAAWIGGFHLHSLVQFLFIYQLPFCGPNVIDNFLCDLY
 PLLKLACTNTYVTGLSMIANGGAICAVTFFTILLSYGVILHSLKTQSLEGRKAFYTCASHVTVILFFV
 PCIFLYARPNSTFPIDKSMTVVLTFITPMLNPLIYTLKNAEMKSAMRKLWSKKVSLAGKWLHYHS



TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8003_f04.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



* The last codon before the Stop codon of the ORF

ACCN: NM_001005275

ORF Size: 1032 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001005275.1](#), [NP_001005275.1](#)

RefSeq Size: 1035 bp

RefSeq ORF: 1035 bp

Locus ID: 81328

UniProt ID: [Q8NGL6](#)

Cytogenetics: 11q11


Protein Families: Transmembrane

Protein Pathways: Olfactory transduction

MW: 38.6 kDa

Gene Summary: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC211400