

## **Product datasheet for RC211451L4**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

### RBM38 (NM\_183425) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: RBM38 (NM 183425) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: RBM38

Synonyms: dJ800J21.2; HSRNASEB; RNPC1; SEB4B; SEB4D

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)


E. coli Selection: Chloramphenicol (34 ug/mL)


**ORF Nucleotide** The ORF insert of this clone is exactly the same as(RC211451).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_183425

ORF Size: 363 bp





#### RBM38 (NM\_183425) Human Tagged Lenti ORF Clone - RC211451L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 183425.1

RefSeq Size: 2346 bp
RefSeq ORF: 366 bp
Locus ID: 55544

UniProt ID: Q9H0Z9

**Cytogenetics:** 20q13.31 **MW:** 12.7 kDa

**Gene Summary:** RNA-binding protein that specifically bind the 3' UTR of CDKN1A transcripts, leading to

maintain the stability of CDKN1A transcripts, thereby acting as a mediator of the p53/TP53 family to regulate CDKN1A. CDKN1A is a cyclin-dependent kinase inhibitor transcriptionally regulated by the p53/TP53 family to induce cell cycle arrest. Isoform 1, but not isoform 2, has the ability to induce cell cycle arrest in G1 and maintain the stability of CDKN1A transcripts


induced by p53/TP53. Also acts as a mRNA splicing factor. Specifically regulates the

expression of FGFR2-IIIb, an epithelial cell-specific isoform of FGFR2. Plays a role in myogenic

differentiation.[UniProtKB/Swiss-Prot Function]



# **Product images:**



Circular map for RC211451L4