

Product datasheet for RC211476L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TMPRSS3 (NM_032405) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: TMPRSS3 (NM 032405) Human Tagged ORF Clone Lentiviral Particle

Symbol: TMPRSS3

Synonyms: DFNB8; DFNB10; ECHOS1; TADG12

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM_032405

ORF Size: 1032 bp

ORF Nucleotide Sequence:

The ORF insert of this clone is exactly the same as(RC211476).

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 032405.1, NP 115781.1

 RefSeq Size:
 1359 bp

 RefSeq ORF:
 1035 bp

 Locus ID:
 64699

 UniProt ID:
 P57727

 Cytogenetics:
 21q22.3

Domains: SR, Tryp_SPc, Idl_recept_a

Protein Families: Druggable Genome, Protease, Transmembrane





ORIGENE

MW: 37.3 kDa

Gene Summary:

This gene encodes a protein that belongs to the serine protease family. The encoded protein contains a serine protease domain, a transmembrane domain, an LDL receptor-like domain, and a scavenger receptor cysteine-rich domain. Serine proteases are known to be involved in a variety of biological processes, whose malfunction often leads to human diseases and disorders. This gene was identified by its association with both congenital and childhood onset autosomal recessive deafness. This gene is expressed in fetal cochlea and many other tissues, and is thought to be involved in the development and maintenance of the inner ear or the contents of the perilymph and endolymph. This gene was also identified as a tumor-associated gene that is overexpressed in ovarian tumors. Alternatively spliced transcript variants have been described. [provided by RefSeq, Jan 2012]