

Product datasheet for RC211488L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

KCNIP4 (NM 025221) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: KCNIP4 (NM_025221) Human Tagged ORF Clone Lentiviral Particle

Symbol:

CALP; KCHIP4 Synonyms:

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

NM 025221 **ORF Size:** 750 bp

ORF Nucleotide

ACCN:

Sequence:

OTI Disclaimer:

The ORF insert of this clone is exactly the same as(RC211488).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 025221.4

RefSeq Size: 1556 bp RefSeq ORF: 753 bp Locus ID: 80333 **UniProt ID:** Q6PIL6

Cytogenetics: 4p15.31-p15.2

Domains: EFh

Protein Families: Druggable Genome, Ion Channels: Other





ORIGENE

MW: 28.5 kDa

Gene Summary: This gene encodes a member of the family of voltage-gated potassium (Kv) channel-

interacting proteins (KCNIPs), which belong to the recoverin branch of the EF-hand superfamily. Members of the KCNIP family are small calcium binding proteins. They all have EF-hand-like domains, and differ from each other in the N-terminus. They are integral subunit components of native Kv4 channel complexes. They may regulate A-type currents, and hence neuronal excitability, in response to changes in intracellular calcium. This protein member also interacts with presenilin. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq, Jul 2008]