

## **Product datasheet for RC211512**

### CARD8 (NM\_014959) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** CARD8 (NM\_014959) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: CARD8

Synonyms: CARDINAL; DACAR; DAKAR; NDPP; NDPP1; TUCAN

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-Entry (PS100001)


E. coli Selection: Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:





	ECOR V							Flag. Tag								P	'me I	rse i
GA	T CTG	GCA	GCA	AAT	GAT	ATC	CTG	GAT	TAC	AAG	GAT	GAC	GAC	GAT	AAG	GTT	TAA	ACGGCCGGCC
	L	A	A	N	D	I	L	D	Y	K	D	D	D	D	K	v	Stop	

<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_014959

ORF Size: 1461 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### CARD8 (NM\_014959) Human Tagged ORF Clone - RC211512

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 014959.5</u>

 RefSeq Size:
 5059 bp

 RefSeq ORF:
 1464 bp

 Locus ID:
 22900

 UniProt ID:
 Q9Y2G2

 Cytogenetics:
 19q13.33

Domains: CARD

**Protein Families:** Druggable Genome

**Protein Pathways:** NOD-like receptor signaling pathway

**MW:** 55.11 kDa

**Gene Summary:** The protein encoded by this gene belongs to the caspase recruitment domain (CARD)-


containing family of proteins, which are involved in pathways leading to activation of caspases or nuclear factor kappa-B (NFKB). This protein may be a component of the inflammasome, a protein complex that plays a role in the activation of proinflammatory caspases. It is thought that this protein acts as an adaptor molecule that negatively regulates NFKB activation, CASP1-dependent IL1B secretion, and apoptosis. Polymorphisms in this gene may be

associated with a susceptibility to rheumatoid arthritis. Alternatively spliced transcript

variants have been described for this gene. [provided by RefSeq, May 2010]



# **Product images:**



Circular map for RC211512