

Product datasheet for RC211585

H2AC4 (NM 003513) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: H2AC4 (NM_003513) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: H2AC4

Synonyms: H2A/m; H2AC8; H2AFM; HIST1H2AB

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC211585 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCTGGTCGCGGCAAACAAGGCGGTAAAGCTCGCGCCAAGGCTAAGACTCGGTCTTCTCGTGCAGGTT
TGCAGTTTCCTGTGGGCCGAGTGCACCGCCTGCTCCGCAAAGGCAACTACTCCGAGCGCGTCGGGGCTGG
CGCCCGGTGTATCTCGCGGCGGTGCTTGAGTACCTGACCGCCGAGATCCTGGAGCTGGCGGCAATGCG
GCCCGCGACAACAAGAAGACCCGCATCATCCCGCGCCACCTGCAATTGGCCATCCGCAATGACGAGGAGC
TTAATAAACTTTTGGGGCGTGTGACCATCGCGCAGGGTGGCGTTTTGCCTAATATTCAGGCGGTGCTGCT

GCCTAAGAAACTGAGAGCCATCATAAGGCCAAGGGAAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA**

Protein Sequence: >RC211585 protein sequence

Red=Cloning site Green=Tags(s)

MSGRGKQGGKARAKAKTRSSRAGLQFPVGRVHRLLRKGNYSERVGAGAPVYLAAVLEYLTAEILELAGNA

ARDNKKTRIIPRHLQLAIRNDEELNKLLGRVTIAQGGVLPNIQAVLLPKKTESHHKAKGK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6442 h04.zip

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_003513

ORF Size: 390 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 003513.3</u>

RefSeq Size: 477 bp RefSeq ORF: 393 bp



 Locus ID:
 8335

 UniProt ID:
 P04908

 Cytogenetics:
 6p22.2

Protein Pathways: Systemic lupus erythematosus


MW: 14.1 kDa

Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2A family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in the large


histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq, Aug 2015]

Product images:



Circular map for RC211585





Western blot validation of overexpression lysate (Cat# [LY418637]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC211585 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).