

Product datasheet for RC211601L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

L1CAM (NM_000425) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: L1CAM (NM 000425) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: L1CAM

Synonyms: CAML1; CD171; HSAS; HSAS1; MASA; MIC5; N-CAM-L1; N-CAML1; NCAM-L1; S10; SPG1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC211601).


Sgfl-Mlul

Sequence:

Restriction Sites:

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_000425

ORF Size: 3771 bp





L1CAM (NM_000425) Human Tagged Lenti ORF Clone - RC211601L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000425.2</u>

RefSeq Size: 4525 bp
RefSeq ORF: 3774 bp
Locus ID: 3897

UniProt ID: P32004

Cytogenetics: Xq28

Domains: ig, IGc2, IG, FN3

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transmembrane

Protein Pathways: Axon guidance, Cell adhesion molecules (CAMs)

MW: 140 kDa

Gene Summary: The protein encoded by this gene is an axonal glycoprotein belonging to the immunoglobulin

supergene family. The ectodomain, consisting of several immunoglobulin-like domains and

fibronectin-like repeats (type III), is linked via a single transmembrane sequence to a conserved cytoplasmic domain. This cell adhesion molecule plays an important role in nervous system development, including neuronal migration and differentiation. Mutations in


the gene cause X-linked neurological syndromes known as CRASH (corpus callosum

hypoplasia, retardation, aphasia, spastic paraplegia and hydrocephalus). Alternative splicing of this gene results in multiple transcript variants, some of which include an alternate exon

that is considered to be specific to neurons. [provided by RefSeq, May 2013]



Product images:



Circular map for RC211601L3