

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC211604L4V

BCL2L10 (NM_020396) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	BCL2L10 (NM_020396) Human Tagged ORF Clone Lentiviral Particle
Symbol:	BCL2L10
Synonyms:	BCL-B; bcl2-L-10; Boo; Diva
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_020396
ORF Size:	612 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC211604).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 020396.2</u>
RefSeq Size:	887 bp
RefSeq ORF:	615 bp
Locus ID:	10017
UniProt ID:	<u>Q9HD36</u>
Cytogenetics:	15q21.2
Protein Families:	Druggable Genome, Transmembrane
MW:	23.2 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



BCL2L10 (NM_020396) Human Tagged ORF Clone Lentiviral Particle – RC211604L4V

Gene Summary:The protein encoded by this gene belongs to the BCL-2 protein family. BCL-2 family members
form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in
a wide variety of cellular activities. The protein encoded by this gene contains conserved BH4,
BH1 and BH2 domains. This protein can interact with other members of BCL-2 protein family
including BCL2, BCL2L1/BCL-X(L), and BAX. Overexpression of this gene has been shown to
suppress cell apoptosis possibly through the prevention of cytochrome C release from the
mitochondria, and thus activating caspase-3 activation. The mouse counterpart of this
protein is found to interact with Apaf1 and forms a protein complex with Caspase 9, which
suggests the involvement of this protein in APAF1 and CASPASE 9 related apoptotic pathway.
[provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US