

Product datasheet for RC211676L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PKC mu (PRKD1) (NM_002742) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PKC mu (PRKD1) (NM_002742) Human Tagged Lenti ORF Clone

Tag: mGFP
Symbol: PKC mu

Synonyms: CHDED; PKC-MU; PKCM; PKD; PRKCM

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clor


Sequence:

The ORF insert of this clone is exactly the same as(RC211676).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_002742

ORF Size: 2736 bp





PKC mu (PRKD1) (NM_002742) Human Tagged Lenti ORF Clone - RC211676L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 002742.1</u>

RefSeq Size:3742 bpRefSeq ORF:2739 bpLocus ID:5587

UniProt ID: Q15139
Cytogenetics: 14q12

Domains: pkinase, TyrKc, PH, DAG_PE-bind, S_TKc

Protein Families: Druggable Genome, Protein Kinase

MW: 101.5 kDa


Gene Summary: The protein encoded by this gene is a serine/threonine protein kinase involved in many

cellular processes, including Golgi body membrane integrity and transport, cell migration and differentiation, MAPK8/JNK1 and Ras pathway signaling, MAPK1/3 (ERK1/2) pathway signaling,


cell survival, and regulation of cell shape and adhesion. [provided by RefSeq, Jan 2017]



Product images:



Circular map for RC211676L4



Double digestion of RC211676L4 using Sgfl and Mlul $\,$