

## Product datasheet for RC211734

### OR52I2 (NM\_001005170) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	OR52I2 (NM_001005170) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	OR52I2
Synonyms:	OR11-12; OR52I1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC211734 representing NM_001005170 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGTGTCAACAAATCTTACGGGATTGCATTCTTCTCATACATCATTTGTGCATTAAACAGGAAAAAGTCT  
CACTTGTGATGCTGGGTCCAGCTTATAACCACACAATGGAACCCCTGCCTCCTCCTTGTGGGTAT  
CCCAGGACTGCAATCTTACATCTTTGGCTGGCTATCTCACTGAGTGCCATGTACATCATAGCCCTGTTA  
GAAACACCATCATCGTACTGCAATCTGGATGGATTCCACTCGGCATGAGCCCATGATTGCTTTCTGT  
GTGTTCTGGCTGTGGACATTGTTATGGCCTCCTCGGTGGTACCCAAGATGGTGAGCATCTTCTGCTC  
AGGAGACAGCTCAATCAGCTTTAGTGCTTGTTCACTCAGATGTTTTTGTCCACTAGCCACAGCTGTG  
GAGACGGGGCTGCTGCTGACCATGGCTTTTGACCGCTATGTAGCCATCTGCAAGCCTCTACACTACAAGA  
GAATTCTCACGCCTCAAGTGATGCTGGGAATGAGTATGGCCATCACCATCAGAGCTATCATAGCCATAAC  
TCCACTGAGTTGGATGGTGAGTCATCTACCTTTCTGTGGCTCCAATGTGGTTGTCCACTCCTACTGTGAG  
CACATAGCTTTGGCCAGTTAGCATGTGCTGACCCGTCGCCAGCAGTCTCTACAGTCTGATTGGTTCT  
CTCTTATGGTGGGCTCTGATGTGGCCTCATTGCTGCCTCCTATATCTTAATTCTCAAGGCAGTATTTGG  
TACTATCTACCTGGGATGGCATCCATCTATGCGGCCTGGTTGGGGCAGGATGTAGTGCCCTGCACACCC  
AAGTCCTGCTAGCTGACCTGTACGTGATCATCCAGCCACCTAAATCCCATCATCTATGGCATGAGGAC  
CAAACAACCTGCGGGAGAGAATATGGAGTTATCTGATGCATGTCCTCTTTGACCATTCCAACCTGGGTTCA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC211734 representing NM\_001005170  
Red=Cloning site Green=Tags(s)

MCQQILRDCILLIHHLCINRKKVSLVMLGPAYNHTMETPASFLLVGIPGLQSSHLWLAIISLSAMYIALL  
 GNTIIVTAIWMSTRHEPMYCFLCVLAAVDIVMASSVVPKMVSIFCSGDSISFSACFTQMFFVHLATAV  
 ETGLLLTMAFDRYVAICKPLHYKRILTPQVMLGMSMAITIRAIIAITPLSWMVSHLPFCGSNVVVHSYCE  
 HIALARLACADPVPSLYSLIGSSLMVGSDVAFIAASYILILKAVFGLSSKTAQLKALSTCGSHVGMAL  
 YYLPGMASIYAAWLGQDVVPLHTQYLLADLYVIIIPATLNPIIYGMRTKQLRERIWSYLMHVLFDHNSLGS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk6489\\_e10.zip](https://cdn.origene.com/chromatograms/mk6489_e10.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_001005170

**ORF Size:** 1050 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001005170.2](#)

**RefSeq Size:** 1053 bp

**RefSeq ORF:** 1053 bp

**Locus ID:** 143502

**UniProt ID:** [Q8NH67](#)

**Cytogenetics:** 11p15.4


**Protein Families:** GPCR, Transmembrane

**Protein Pathways:** Olfactory transduction


**MW:** 38.2 kDa

**Gene Summary:** Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC211734



Western blot validation of overexpression lysate (Cat# [LY423956]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC211734 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).