

Product datasheet for RC211758

MRPL35 (NM 016622) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: MRPL35 (NM_016622) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: MRPL35

Synonyms: L35mt; MRP-L35

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC211758 representing NM_016622

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCTGCCTCTGCCTTTGCTGGTGCAGTGAGAGCAGCTTCAGGAATCCTACGGCCCCTGAATATTTTGG
CATCTTCAACCTACCGCAACTGTGTCAAGAATGCCTCTCTTATTTCTGCATTGTCCACTGGACGTTTTAG
TCATATTCAGACACCAGTTGTTTCCTCCACTCCCAGACTTACCACATCTGAGAGAAACCTGACATGTGGG
CATACCTCAGTGATCCTTAATAGAATGGCCCCCGTGCTTCCAAGTGTCCTGAAGCTGCCAGTCAGATCTC
TAACATACTTCAGTGCAAGAAAAGGCAAGAGAAAAGACCGTGAAAGCTGTCATCGATAGGTTTCTTCGACT
TCATTGTGGCCTTTGGGTGAGGAGAAAGGCTGGCTATAAGAAAAAATTATGGAAAAAAGACACCTGCAAGG
AAGAAGCGATTGAGGGAATTTGTATTCTGCAATAAAACCCAGAGTAAACTCTTAGATAAAATGACGACGT
CCTTCTGGAAGAGGCGAAACTGGTACGTTGATGATCCTTATCAGAAGTATCATGATCGAACAAACCTGAA
AGTA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC211758 representing NM_016622

Red=Cloning site Green=Tags(s)

MAASAFAGAVRAASGILRPLNILASSTYRNCVKNASLISALSTGRFSHIQTPVVSSTPRLTTSERNLTCG HTSVILNRMAPVLPSVLKLPVRSLTYFSARKGKRKTVKAVIDRFLRLHCGLWVRRKAGYKKKLWKKTPAR

KKRLREFVFCNKTQSKLLDKMTTSFWKRRNWYVDDPYQKYHDRTNLKV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com


MRPL35 (NM_016622) Human Tagged ORF Clone - RC211758


Chromatograms: https://cdn.origene.com/chromatograms/mg4263 b06.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_016622

ORF Size: 564 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeg: NM 016622.4

RefSeq Size: 2805 bp
RefSeq ORF: 567 bp
Locus ID: 51318



UniProt ID: Q9NZE8

Cytogenetics: 2p11.2

Protein Families: Druggable Genome

MW: 21.3 kDa

Gene Summary: Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in


protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that

the latter contain a 5S rRNA. Among different species, the proteins comprising the


mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. Sequence analysis identified three transcript variants. Pseudogenes corresponding to this

gene are found on chromosomes 6p, 10q, and Xp. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC211758



Western blot validation of overexpression lysate (Cat# [LY413875]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC211758 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).