

Product datasheet for RC211762

OR2W5 (NM_001004698) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	OR2W5 (NM_001004698) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	OR2W5
Synonyms:	OR2W5P; OST722
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC211762 representing NM_001004698 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGAAAGGACAATGCCAGTTACCTACAGGCATTCATCCTGGTGGGCTCTTCTGATCGGCCTGGACTGG
AGAAAATTCTCTTTGCTGTTATCTTGATCTTCTGCATCCTGACCCTGGTGGGCAACTGCCATCATCCT
CTTGCTGGTCATGGATGTCAGGCTCCACACCCCATGACTTCTTCTTGGGAATCTGTCTTTCTAGAT
CTCTGCTTACAGCAAGCATTGCCCTCAGCTGCTGTGGAACCTGGGGGTCCAGAGAAGACCATCACT
ACCACGGCTGTGTGGCCAACTACATCTACATGATGCTGGGCTCCACCGAGTGCCTCCTCGTTGT
CATGTCCCATGACCGCTATGTGGCGTCTGCCGGTCCCTGCACTACATGGCAGTCATGCGCCACATCTC
TGCTGCAGCTGGTACTGTGGCCTGGTCTGTGGCTTCTAACTCCTTCATCATGTGTCTCAGACGA
TGCAGCTCTCCGGTGTGGACGTCGACGGTGGACCATTCTGTGTGAGATGCCTGCTCTTATTGCCAT
GTCTTGTGAGGAAACCATGCTGGTAGAAGCGATTACCTTTGCCCTGGGGTGGCTCTCCTCGTGGCC
GCTCTCCCTCATCCTCATCTCCTATGGCGTGATTGCAGCCGCGGTGCTGAGGATGAAGTCAGCAGCAGGG
CGAAAGAAAGCCTCCACACCTGCTCTTCTCACCTCACAGTGGTCTCTCTTCTACGGAACCATCATCT
ACGTGTACCTGAAGCCGGCCAACAGCTACTCCCAAGATCAGGGGAAGTTCTGACTCTCTTCTACACCAT
CGTCATCCCAGCATCAACCCCTCATCTACACTTTGAGGAACAAGGATGTGAAGGGGACCATGAAGAAA
CTTCTGGGGTGGAGAAAGGGGCTGGGGAGCCTCAACGAGGGGAACACTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC211762 representing NM_001004698
Red=Cloning site Green=Tags(s)


MGKDNASYLQAFILVGSDDRPGLEKILFAVILIFCILTIVGNTAIIILLVMDVRLHTPMYFFLGNLSFLD
 LCFTASIAPQLLWNLGGPEKTITYHGCVLQYIYMLLGSTECVLLVVMASHDRYVAVCRSLHYMAVMRPHL
 CLQLVTVAWCCGFLNSFIMCPQTMQLSRCGRRRVDHFLCEMPALIAMSCHEETMLVEAIHLCPGGGSPPGA
 ALPHPHLLWRDCSRGADEVSSRAKESLPHLLFSPHSGLSLLRNHHLRVPEAGQQLLPRSGEVPDLSLLHH
 RHSQHQPPLHFEEQGCEDHEETSGVGERGWGASTRGTL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8002_e02.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001004698

ORF Size: 960 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001004698.2 , NP_001004698.1
RefSeq Size:	963 bp
RefSeq ORF:	963 bp
Locus ID:	441932
UniProt ID:	A6NFC9
Cytogenetics:	1q44
Protein Families:	Transmembrane
MW:	35.3 kDa
Gene Summary:	<p>Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene has a coding sequence that is comparable in length to other olfactory receptor genes, but it should be noted that a frameshift is present in the 3' coding region that disrupts the 7-transmembrane domain structure in the protein. It is unclear if the protein can function as an olfactory receptor or if an alternate function is served. For this reason, this gene has also been interpreted to be a pseudogene. [provided by RefSeq, Jan 2010]</p>

Product images:



Circular map for RC211762