

Product datasheet for RC211781L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MID1 (NM_033290) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: MID1 (NM 033290) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: MID1

Synonyms: BBBG1; FXY; GBBB1; MIDIN; OGS1; OS; OSX; RNF59; TRIM18; XPRF; ZNFXY

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC211781).

Sgfl-Mlul


Sequence:

Restriction Sites:
Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf I ORF Mlu I

--- GCG ATC GC|C ATG --- //--- NNÑ ACG CGT|--



^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_033290

ORF Size: 2001 bp



MID1 (NM_033290) Human Tagged Lenti ORF Clone - RC211781L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 033290.1

RefSeq Size: 3117 bp
RefSeq ORF: 2004 bp
Locus ID: 4281

UniProt ID: <u>O15344</u>

Cytogenetics: Xp22.2

Domains: zf-B box, RING, BBC, SPRY, FN3

Protein Families: Druggable Genome

Protein Pathways: Ubiquitin mediated proteolysis

MW: 75.1 kDa


Gene Summary: The protein encoded by this gene is a member of the tripartite motif (TRIM) family, also

known as the 'RING-B box-coiled coil' (RBCC) subgroup of RING finger proteins. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This protein forms homodimers which associate with microtubules in the cytoplasm. The protein is likely involved in the formation of multiprotein structures acting as anchor points to microtubules. Mutations in this gene have been associated with the X-linked form of Opitz syndrome, which is characterized by midline abnormalities such as cleft lip, laryngeal cleft, heart defects, hypospadias, and agenesis of the corpus callosum. This gene was also the first example of a gene subject to X inactivation in human while escaping it in mouse. Alternative promoter use, alternative splicing and alternative polyadenylation result in multiple transcript variants that have different tissue specificities. [provided by RefSeq, Dec

2016]



Product images:



Circular map for RC211781L3