

Product datasheet for RC211799L2

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Somatostatin Receptor 5 (SSTR5) (NM_001053) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Somatostatin Receptor 5 (SSTR5) (NM 001053) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Somatostatin Receptor 5

Synonyms: SS-5-R Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC211799).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_001053

ORF Size: 1092 bp



Somatostatin Receptor 5 (SSTR5) (NM_001053) Human Tagged Lenti ORF Clone - RC211799L2

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001053.1, NP 001044.1

 RefSeq Size:
 1095 bp

 RefSeq ORF:
 1095 bp

 Locus ID:
 6755

 UniProt ID:
 P35346

Protein Families: Druggable Genome, GPCR, Transmembrane

16p13.3

Protein Pathways: Neuroactive ligand-receptor interaction

MW: 39 kDa

Cytogenetics:

Gene Summary: Somatostatin and its related peptide cortistatin exert multiple biological actions on normal


and tumoral tissue targets by interacting with somatostatin receptors (SSTRs). The protein encoded by this gene is one of the SSTRs, which is a multi-pass membrane protein and belongs to the G-protein coupled receptor 1 family. The activity of this receptor is mediated by G proteins which inhibit adenylyl cyclase, and different regions of this receptor molecule are required for the activation of different signaling pathways. A mutation in this gene results

in somatostatin analog resistance. Alternatively spliced transcript variants have been

identified in this gene.[provided by RefSeq, Feb 2010]



Product images:



Circular map for RC211799L2