

Product datasheet for RC211816L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL1RAPL1 (NM_014271) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL1RAPL1 (NM_014271) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: IL1RAPL1

Synonyms: IL-1-RAPL-1; IL-1RAPL-1; IL1R8; IL1RAPL; IL1RAPL-1; MRX10; MRX21; MRX34; OPHN4; TIGIRR-2

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC211816).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_014271

ORF Size: 2088 bp





IL1RAPL1 (NM_014271) Human Tagged Lenti ORF Clone - RC211816L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 014271.2</u>

 RefSeq Size:
 3624 bp

 RefSeq ORF:
 2091 bp

 Locus ID:
 11141

 UniProt ID:
 Q9NZN1

Cytogenetics: Xp21.3-p21.2

Domains: TIR, ig, IGc2, IG

Protein Families: Druggable Genome, Transmembrane

MW: 79.97 kDa

Gene Summary: The protein encoded by this gene is a member of the interleukin 1 receptor family and is

similar to the interleukin 1 accessory proteins. This protein has an N-terminal signal peptide,

three extracellular immunoglobulin Ig-like domains, a transmembrane domain, an intracellular Toll/IL-1R domain, and a long C-terminal tail which interacts with multiple


signalling molecules. This gene is located at a region on chromosome X that is associated with a non-syndromic form of X-linked intellectual disability. Deletions and mutations in this gene were found in patients with intellectual disability. This gene is expressed at a high level in post-natal brain structures involved in the hippocampal memory system, which suggests a

specialized role in the physiological processes underlying memory and learning abilities, and


plays a role in synapse formation and stabilization. [provided by RefSeq, Jul 2017]



Product images:



Circular map for RC211816L4



Double digestion of RC211816L4 using Sgfl and Mlul