

## Product datasheet for RC211845L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## NUP155 (NM\_153485) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** NUP155 (NM\_153485) Human Tagged ORF Clone Lentiviral Particle

Symbol: NUP155

Synonyms: ATFB15; N155

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_153485 **ORF Size:** 4173 bp

**ORF Nucleotide** 

1173 66

Sequence:

The ORF insert of this clone is exactly the same as(RC211845).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 153485.1, NP 705618.1

 RefSeq Size:
 4355 bp

 RefSeq ORF:
 4176 bp

 Locus ID:
 9631

 UniProt ID:
 075694

Cytogenetics: 5p13.2

Domains: Nucleoporin

**MW:** 155 kDa







## **Gene Summary:**

Nucleoporins are proteins that play an important role in the assembly and functioning of the nuclear pore complex (NPC) which regulates the movement of macromolecules across the nuclear envelope (NE). The protein encoded by this gene plays a role in the fusion of NE vesicles and formation of the double membrane NE. The protein may also be involved in cardiac physiology and may be associated with the pathogenesis of atrial fibrillation. Alternative splicing results in multiple transcript variants of this gene. A pseudogene associated with this gene is located on chromosome 6. [provided by RefSeq, May 2013]