

Product datasheet for **RC211851**

KRTAP3-1 (NM_031958) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KRTAP3-1 (NM_031958) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	KRTAP3-1
Synonyms:	KAP3.1; KRTAP3.1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC211851 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTATTGCTGTGCTCTCCGCTCCTGCAGCGTCCCCACCGGCCCTGCCACCACCTTCTGCTCATTTGATA
AAAGCTGCCGCTGTGGAGTCTGCCTACCCAGCACCTGCCACATGAGATCAGCCTCCTTCAGCCCATCTG
CTGTGACACCTGCCCCCACCCTGCTGCAAGCCTGATACCTATGTGCCAATTGCTGGCTGCTCAACAAC
TGTCACCCGACTCCCGACTGAGTGGGATCAACCTGACCACCTATGTTTCAGCCTGGCTGTGAGAGTCCCT
GTGAGCCCGCTGT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:	>RC211851 protein sequence Red=Cloning site Green=Tags(s)
-------------------	--

MYCCALRSCSVPTGPATTFCSFDKSCRCGVCLPSTCPHEISLLQPICCDTCPPPCCKPDYVPTCWLLNN
CHPTPGLSGINLTTYVQPGCESPCEPRC

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6445_b01.zip

Restriction Sites: SgfI-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_031958

ORF Size: 294 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_031958.2](#)

RefSeq Size: 614 bp


RefSeq ORF: 297 bp

Locus ID: 83896


UniProt ID: [Q9BYR8](#)
Cytogenetics: 17q21.2
MW: 10.5 kDa

Gene Summary: This protein is a member of the keratin-associated protein (KAP) family. The KAP proteins form a matrix of keratin intermediate filaments which contribute to the structure of hair fibers. KAP family members appear to have unique, family-specific amino- and carboxyl-terminal regions and are subdivided into three multi-gene families according to amino acid composition: the high sulfur, the ultrahigh sulfur, and the high tyrosine/glycine KAPs. This protein is a member of the high sulfur KAP family and the gene is localized to a cluster of KAPs at 17q12-q21. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC211851



Western blot validation of overexpression lysate (Cat# [LY410410]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC211851 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).