

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC211856L1V

TACI (TNFRSF13B) (NM_012452) Human Tagged ORF Clone Lentiviral Particle

Product data:


Product Type:	Lentiviral Particles
Product Name:	TACI (TNFRSF13B) (NM_012452) Human Tagged ORF Clone Lentiviral Particle
Symbol:	TACI
Synonyms:	CD267; CVID; CVID2; IGAD2; RYZN; TACI; TNFRSF14B
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
Tag:	Myc-DDK
ACCN:	NM_012452
ORF Size:	879 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC211856).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 012452.2</u>
RefSeq Size:	1377 bp
RefSeq ORF:	882 bp
Locus ID:	23495
UniProt ID:	<u>O14836</u>
Cytogenetics:	17p11.2
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Cytokine-cytokine receptor interaction, Primary immunodeficiency



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	TACI (TNFRSF13B) (NM_012452) Human Tagged ORF Clone Lentiviral Particle – RC211856L1V
MW:	31.6 kDa
Gene Summary:	The protein encoded by this gene is a lymphocyte-specific member of the tumor necrosis factor (TNF) receptor superfamily. It interacts with calcium-modulator and cyclophilin ligand (CAML). The protein induces activation of the transcription factors NFAT, AP1, and NF-kappa-B and plays a crucial role in humoral immunity by interacting with a TNF ligand. This gene is located within the Smith-Magenis syndrome region on chromosome 17. [provided by RefSeq, Jul 2008]

Product images:



[RC211856L1] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC211856L1V particle to overexpress human TNFRSF13B-Myc-DDK fusion protein.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US