

Product datasheet for RC211912

OR4D9 (NM_001004711) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	OR4D9 (NM_001004711) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	OR4D9
Synonyms:	OR11-253
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC211912 representing NM_001004711 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGATCAGAGAAATTACACCAGAGTGAAAGAATTTACCTTCCTGGGAATTACTCAGTCCCAGAACTGA
GCCAGGTCTTATTTACCTTCCTGTTTTGGTGTACATGACAACTCTAATGGGAACTTCCTCATCATGGT
TACAGTTACCTGTGAATCTCACCTTCATACGCCATGTAATTCCTGCTCCGCAACCTGTCTATTCTTGAC
ATCTGCTTTTCTCCATCACAGCTCCTAAGGTCCTGATAGATCTTCTATCAGAGACAAAAACCATCTCCT
TCAGTGGCTGTGCACTCAAATGTTCTTCTTCCACCTTCTGGGGGAGCAGACGTTTTTCTCTCTGT
GATGGCGTTTGACCGCTATATAGCCATCTCCAAGCCCCTGCACTATATGACCATCATGAGTAGGGGGCGA
TGCACAGGCCATCATCGTGGCTTCTGGTGGGGGGCTTTGTCCACTCCATAGCGCAGATTTCTCTATTGC
TCCCACTCCCTTCTGTGGACCAATGTTCTTGACACTTTCTACTGCGATGTCCCCAGGTCTCAAACCT
TGCTGCACTGACACCTTCACTCTGGAGCTCCTGATGATTTCAAATAATGGGTTAGTCAGTTGGTTGTA
TTCTTCTTCTCCTCATATCTTACACGGTCATCTTGATGATGCTGAGGTCTCACACTGGGAAAGGCAGGA
GGAAAGCCATCTCACCTGCACCTCCACATCACCGTGGTGACCTGCATTTCTGTCACCTTCACTGTCTATGT
CTATGCCCGGCCCTTCACTGCCCTCCCCACAGACACTGCCATCTCTGTACCTTCACTGTCTATCTCCCT
TTGCTCAATCCTATAATTTACACGCTGAGGAATCAGGAAATGAAGTTGGCCATGAGGAAACTGAAGAGAC
GGCTAGGACAATCAGAAAGGATTTTAATTCAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC211912 representing NM_001004711
Red=Cloning site Green=Tags(s)

MDQRNYTRVKEFTFLGITQSRELSQVLF TFLFLVYMTTLMGNFLIMVTVTCESHLHTPMYFLLRNLSILD
 ICFSSITAPKVLIDLLSETKTISFSGCVTQMFFHLLGGADVFLSVMAFDRYIAISKPLHYMTIMSRGR
 CTGLIVASWVGGFVHSIAQISLLPLFCGPNVLDTFYCDVPQVLKLACTDTFTLELLMISNGLVSWFV
 FFFLLISYTVILMMLRSHTEGRRKAISTCTSHITVVTLHFVPCIYVYARPF TALPTDTAISVTF TVISP
 LLNPIIYTLRNQEMKLMRKLKRRLLGQSERILIQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8002_e12.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001004711

ORF Size: 942 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001004711.1, NP_001004711.1</u>
RefSeq Size:	945 bp
RefSeq ORF:	945 bp
Locus ID:	390199
UniProt ID:	<u>Q8NGE8</u>
Cytogenetics:	11q12.1
Protein Families:	Transmembrane
Protein Pathways:	Olfactory transduction
MW:	35.5 kDa
Gene Summary:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC211912