

Product datasheet for RC211914L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ZNF274 (NM_133502) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: ZNF274 (NM_133502) Human Tagged ORF Clone Lentiviral Particle

Symbol: ZNF274

Synonyms: HFB101; ZF2; ZKSCAN19; ZSCAN51

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 133502

ORF Size: 1959 bp

ORF Nucleotide

TI ODE '

Sequence:
OTI Disclaimer:

The ORF insert of this clone is exactly the same as(RC211914).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 133502.1</u>

 RefSeq Size:
 2890 bp

 RefSeq ORF:
 1962 bp

 Locus ID:
 10782

 UniProt ID:
 Q96GC6

 Cytogenetics:
 19q13.43

Domains: KRAB, LER, zf-C2H2

Protein Families: Transcription Factors





ZNF274 (NM_133502) Human Tagged ORF Clone Lentiviral Particle - RC211914L3V

Protein Pathways: Neurotrophin signaling pathway

MW: 74.2 kDa

Gene Summary: This gene encodes a zinc finger protein containing five C2H2-type zinc finger domains, one or

two Kruppel-associated box A (KRAB A) domains, and a leucine-rich domain. The encoded protein has been suggested to be a transcriptional repressor. It localizes predominantly to the nucleolus. Alternatively spliced transcript variants encoding different isoforms exist. These variants utilize alternative polyadenylation signals. [provided by RefSeq, Jul 2008]