

Product datasheet for RC211956L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PDE4 (PDE4B) (NM_002600) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PDE4 (PDE4B) (NM_002600) Human Tagged ORF Clone Lentiviral Particle

Symbol: PDE4

Synonyms: DPDE4; PDEIVB

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_002600 **ORF Size:** 2208 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC211956).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 002600.3

 RefSeq Size:
 4264 bp

 RefSeq ORF:
 2211 bp

 Locus ID:
 5142

 UniProt ID:
 Q07343

 Cytogenetics:
 1p31.3

 Domains:
 PDEase

Protein Families: Druggable Genome





PDE4 (PDE4B) (NM_002600) Human Tagged ORF Clone Lentiviral Particle - RC211956L2V

Protein Pathways: Progesterone-mediated oocyte maturation, Purine metabolism

MW: 83.2 kDa

Gene Summary: This gene is a member of the type IV, cyclic AMP (cAMP)-specific, cyclic nucleotide

phosphodiesterase (PDE) family. The encoded protein regulates the cellular concentrations of cyclic nucleotides and thereby play a role in signal transduction. Altered activity of this protein has been associated with schizophrenia and bipolar affective disorder. Alternative splicing and the use of alternative promoters results in multiple transcript variants encoding

different isoforms. [provided by RefSeq, Jul 2014]