

Product datasheet for RC211961L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ROBO1 (NM_133631) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: ROBO1 (NM_133631) Human Tagged ORF Clone Lentiviral Particle

Symbol: ROBO1

Synonyms: DUTT1; SAX3

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_133631 **ORF Size:** 4845 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC211961).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 133631.1

 RefSeq Size:
 7475 bp

 RefSeq ORF:
 4821 bp

 Locus ID:
 6091

 UniProt ID:
 Q9Y6N7

 Cytogenetics:
 3p12.3

Domains: ig, FN3

Protein Families: Druggable Genome





ROBO1 (NM_133631) Human Tagged ORF Clone Lentiviral Particle - RC211961L4V

Protein Pathways: Axon guidance

MW: 175.7 kDa

Gene Summary: Bilateral symmetric nervous systems have special midline structures that establish a partition

between the two mirror image halves. Some axons project toward and across the midline in response to long-range chemoattractants emanating from the midline. The product of this gene is a member of the immunoglobulin gene superfamily and encodes an integral membrane protein that functions in axon guidance and neuronal precursor cell migration. This receptor is activated by SLIT-family proteins, resulting in a repulsive effect on glioma cell

guidance in the developing brain. A related gene is located at an adjacent region on

chromosome 3. Multiple transcript variants encoding different isoforms have been found for

this gene. [provided by RefSeq, Mar 2009]