

## Product datasheet for RC211979L1

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## SMOC2 (NM\_022138) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** SMOC2 (NM\_022138) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: SMOC2

**Synonyms:** bA37D8.1; bA270C4A.1; dJ421D16.1; DTDP1; MST117; MSTP117; MSTP140; SMAP2

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

**ORF Nucleotide** The ORF insert of this clone is exactly the same as(RC211979).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_022138

ORF Size: 1371 bp



#### SMOC2 (NM\_022138) Human Tagged Lenti ORF Clone - RC211979L1

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 022138.1</u>

 RefSeq Size:
 2947 bp

 RefSeq ORF:
 1374 bp

 Locus ID:
 64094

 UniProt ID:
 Q9H3U7

 Cytogenetics:
 6q27

Domains: thyroglobulin\_1, EFh, kazal

**Protein Families:** Secreted Protein

**MW:** 48.6 kDa

**Gene Summary:** This gene encodes a member of the SPARC family (secreted protein acidic and rich in

cysteine/osteonectin/BM-40), which are highly expressed during embryogenesis and wound healing. The gene product is a matricellular protein which promotes matrix assembly and can


stimulate endothelial cell proliferation and migration, as well as angiogenic activity.

Associated with pulmonary function, this secretory gene product contains a Kazal domain, two thymoglobulin type-1 domains, and two EF-hand calcium-binding domains. The encoded protein may serve as a target for controlling angiogenesis in tumor growth and myocardial ischemia. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct


2009]



# **Product images:**



Circular map for RC211979L1



Double digestion of RC211979L1 using Sgfl-Mlul