

## Product datasheet for RC211991L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## PDE11A (NM\_001077358) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** PDE11A (NM\_001077358) Human Tagged ORF Clone Lentiviral Particle

Symbol: PDE11A
Synonyms: PPNAD2
Mammalian Cell Puromyo

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_001077358

ORF Size: 1725 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC211991).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 001077358.1

RefSeq Size: 1869 bp
RefSeq ORF: 1728 bp
Locus ID: 50940
UniProt ID: Q9HCR9
Cytogenetics: 2q31.2

**Protein Families:** Druggable Genome

**Protein Pathways:** Progesterone-mediated oocyte maturation, Purine metabolism





ORIGENE

**MW:** 65.68 kDa

**Gene Summary:** The 3',5'-cyclic nucleotides cAMP and cGMP function as second messengers in a wide variety

of signal transduction pathways. 3',5'-cyclic nucleotide phosphodiesterases (PDEs) catalyze the hydrolysis of cAMP and cGMP to the corresponding 5'-monophosphates and provide a mechanism to downregulate cAMP and cGMP signaling. This gene encodes a member of the PDE protein superfamily. Mutations in this gene are a cause of Cushing disease and

adrenocortical hyperplasia. Multiple transcript variants encoding different isoforms have

been found for this gene. [provided by RefSeq, Jul 2008]