

Product datasheet for **RC212006**

PIGR (NM_002644) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PIGR (NM_002644) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PIGR
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RC212006 representing NM_002644
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCTGCTCTTCGTGCTCACCTGCCTGCTGGCGGTCTTCCAGCCATCTCCACGAAGAGTCCCATATTTG
 GTCCCGAGGAGGTGAATAGTGTGGAAGGTAACCTCAGTGTCCATCACGTGCTACTACCCACCCACCTCTGT
 CAACCGGCACACCCGGAAGTACTGGTGCAGGAGGAGCTAGAGGTGGCTGCATAACCCATCTCTCTCG
 GAGGGCTACGTCTCCAGCAAATATGCAGGCAGGGCTAACCTCACCAACTTCCCGGAGAACGGCACATTTG
 TGGTGAACATTGCCAGCTGAGCCAGGATGACTCCGGGCGCTACAAGTGTGGCTGGGCATCAATAGCCG
 AGGCCTGTCTTTGATGTCAGCCTGGAGGTGAGCCAGGGTCTGGGCTCCTAAATGACACTAAAGTCTAC
 ACAGTGGACCTGGGCAGAACGGTGACCATCAACTGCCCTTCAAGACTGAGAATGCTCAAAGAGGAAGT
 CCTTGTACAAGCAGATAGGCCTGTACCCTGTGCTGGTTCATCGACTCCAGTGGTTATGTAATCCCAACTA
 TACAGGAAGAATACGCCCTTGATATTCAGGGTACTGGCCAGTTACTGTTCCAGCGTTGTCATCAACCAACTC
 AGGCTCAGCGATGCTGGGAGTATCTCTGCCAGGCTGGGGATGATTCCAATAGTAATAAGAAGAATGCTG
 ACCTCAAAGTGCTAAAGCCCGAGCCGAGCTGGTTTATGAAGACCTGAGGGGCTCAGTGACCTTCCACTG
 TGCCCTGGGCCCTGAGGTGGCAAACGTGGCCAAATTTCTGTGCCGACAGAGCAGTGGGAAAACTGTGAC
 GTGGTCTGCAACACCCTGGGGAAGAGGGCCCGCCAGCCTTTGAGGGCAGGATCCTGCTCAACCCCGAGGACA
 AGGATGGCTCATTCAAGTGGTGTGATCACAGGCCTGAGGAAGGAGGATGCAGGGCGCTACCTGTGTGGAGC
 CCATTCGATGGTCAAGTGCAGGAAGGCTCGCCTATCCAGGCCTGGCAACTTTCGTCAATGAGGAGTCC
 ACGATTCGCCGACGCCCACTGTGGTGAAGGGGTGGCAGGAGGCTCTGTGGCCGTGCTCTGCCCTTACA
 ACCGTAAGGAAAGCAAAGCATCAAGTACTGGTGTCTCTGGGAAGGGGCCAGAATGGCCGTGCCCTT
 GCTGGTGGACAGCGAGGGGTGGGTTAAGGCCAGTACGAGGGCCGCTCTCCCTGCTGGAGGAGCCAGGC
 AACGGCACCTTCACTGTATCCTCAACAGCTCACAGCCGGGACGCGGCTTCTACTGGTGTGACCA
 ACGGCGATACTCTGAGGAGACCACCGTGGAGATCAAGATTATCGAAGGAGAACCAAACCTCAAGGTACC
 AGGGAATGTCACGGCTGTGCTGGGAGAGACTCTCAAGTCCCCTGCTACTTTCATGCAAATTCCTCTG
 TACGAGAAATACTGGTCAAGTGAATAACACGGGCTGCCAGGCCCTGCCAGCCAAGACGAAGGCCCA
 GCAAGGCCTTCGTGAAGTGTGACGAGAACAGCCGGCTTGTCTCCCTGACCCTGAACCTGGTGACCAGGGC
 TGATGAGGGCTGGTACTGGTGTGGAGTGAAGCAGGGCCACTTCTATGGAGAGACTGCAGCCGTCTATGTG
 GCAGTTGAAGAGAGGAAGGCAGCGGGTCCCGCATGTCAGCCTAGCGAAGGCAGACGCTGCTCCTGATG
 AGAAGGTCTAGACTCTGGTTTTCGGGAGATTGAGAACAAGCCATTGAGGATCCAGGCTTTTTGCAGA
 GGAAAAGCGGTGGCAGATACAAGAGATCAAGCCGATGGGAGCAGAGCATCTGTGGATTCCGGCAGCTCT
 GAGGAACAAGGTGGAAGCTCCAGAGCGCTGGTCTCCACCTGGTCCCCTGGGCCCTGGTGTGGCAGTGG
 GAGCCGTGGCTGTGGGGTGGCCAGAGCCCGGCACAGGAAGAAGTTCGACCGAGTTTCAATCAGAAGCTA
 CAGGACAGACATTAGCATGTGACTTCGAGAAGTCCAGGGAATTTGGAGCCAATGACAACATGGGAGCC
 TCTTCGATCACTCAGGAGACATCCCTCGGAGGAAAAGAAGTGTGTTGCCACCACTGAGAGCACCCAG
 AGACCAAAGAACCAAGAAGGCAAAAAGGTATCCAAGGAGGAAGCCGAGATGGCCTACAAGACTTCT
 GCTCCAGTCCAGCACCGTGGCCCGGAGGCCAGGACGGCCCCAGGAAGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC212006 representing NM_002644
 Red=Cloning site Green=Tags(s)

MLLFVLTCLLAVFPAISTKSPIFGPEEVNSVEGNSVSITCYPPTSVNRHTRKYWCRQGARGGCITLISS
 EGYVSSKYAGRANLTFNPENGTFFVNIQALSQDDSGRYKCGLGINSRGLSFDVLSLEVSQGPGLLNDTKVY
 TVDLGRTVTINCPFKTENAKRKSLEYKQIGLYPVLVIDSSGYVNPNTGRIRLDIQGTGQLLFSVINQL
 RLSDAGQYLQAGDSSNSNKKNADLQVLKPEPELVYEDLRGSVTFHCALGPEVANVAKFLCRQSSGENCD
 VVVNTLTKRAPAFEGRILLNPQDKDGSFSVVITGLRKEDAGRYLGAHSDGQLQEGSPIQAWQLFVNEES
 TIPRSPVYVKGAVAGGSVAVLCYPYNRKESKSIKYWCLWEGAQNGRCPDLLVDSEGWVKAQYEGRLSLLLEPG
 NGTFTVILNQLTSRDAGFYWCLTNGDTLWRTTVEIKIIEGEPNLKVPGNVTAVLGETLKVPCHPCKFSS
 YEKYWCKWNNTGCQALPSQDEGPSKAFVNCDENSRLVSLTLNLVTRADEGWYCGVKQGHFYGETAAVYV
 AVEERKAAGSRDVS LAKADAAPDEKVLDSGFREIENKAIQDPRFLFAEEKAVADTRDQADGSRASVDSGSS
 EEQGGSSRALVSTLVPLGLVLAVGAVAVGVARARHRKNVDRVSI RSYRTDISMSDFENSREFGANDNMGA
 SSITQETSLGGKEEFVATTESTTETKEPKKAKRSSKEEAEMAYKDFLLQSSTVAEAQDGPQEA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6165_a07.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_002644


ORF Size: 2292 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)


OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_002644.4
RefSeq Size:	4266 bp
RefSeq ORF:	2295 bp
Locus ID:	5284
UniProt ID:	P01833
Cytogenetics:	1q32.1
Domains:	ig, IGv, IG
Protein Families:	Druggable Genome, Secreted Protein, Transmembrane
MW:	83.28 kDa
Gene Summary:	This gene is a member of the immunoglobulin superfamily. The encoded poly-Ig receptor binds polymeric immunoglobulin molecules at the basolateral surface of epithelial cells; the complex is then transported across the cell to be secreted at the apical surface. A significant association was found between immunoglobulin A nephropathy and several SNPs in this gene.[provided by RefSeq, Sep 2009]


Product images:



Circular map for RC212006



Western blot validation of overexpression lysate (Cat# [LY400939]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC212006 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified PIGR protein (Cat# [TP312006]). The protein was produced from HEK293T cells transfected with PIGR cDNA clone (Cat# RC212006) using MegaTran 2.0 (Cat# [TT210002]).