

Product datasheet for RC212078L1

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

KCNC4 (NM_004978) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: KCNC4 (NM_004978) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: KCNC4

Synonyms: C1orf30; HKSHIIIC; KSHIIIC; KV3.4

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC212078).

Sequence:

Restriction Sites: Sgfl-Rsrll

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_004978

ORF Size: 1905 bp





KCNC4 (NM_004978) Human Tagged Lenti ORF Clone - RC212078L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 004978.2</u>

RefSeq Size:2879 bpRefSeq ORF:1908 bpLocus ID:3749

UniProt ID: Q03721

Cytogenetics: 1p13.3

Domains: BTB, K tetra, ion trans

Protein Families: Druggable Genome, Ion Channels: Potassium, Transmembrane

MW: 69.6 kDa


Gene Summary: The Shaker gene family of Drosophila encodes components of voltage-gated potassium

channels and is comprised of four subfamilies. Based on sequence similarity, this gene is similar to the Shaw subfamily. The protein encoded by this gene belongs to the delayed rectifier class of channel proteins and is an integral membrane protein that mediates the voltage-dependent potassium ion permeability of excitable membranes. It generates atypical voltage-dependent transient current that may be important for neuronal excitability. Multiple

transcript variants have been found for this gene. [provided by RefSeq, Jul 2010]



Product images:



Circular map for RC212078L1