

Product datasheet for RC212092L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Hsc70 (HSPA8) (NM_153201) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Hsc70 (HSPA8) (NM_153201) Human Tagged ORF Clone Lentiviral Particle

Symbol: Hsc70

Synonyms: HEL-33; HEL-S-72p; HSC54; HSC70; HSC71; HSP71; HSP73; HSPA10; LAP-1; LAP1; NIP71

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_153201 **ORF Size:** 1479 bp

ORF Nucleotide

OTI Disclaimer:

.

Sequence:

Domains:

The ORF insert of this clone is exactly the same as(RC212092).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 153201.1

 RefSeq Size:
 1817 bp

 RefSeq ORF:
 1482 bp

 Locus ID:
 3312

 UniProt ID:
 P11142

 Cytogenetics:
 11q24.1

Protein Families: Stem cell - Pluripotency

HSP70





Hsc70 (HSPA8) (NM_153201) Human Tagged ORF Clone Lentiviral Particle - RC212092L4V

Protein Pathways: Antigen processing and presentation, Endocytosis, MAPK signaling pathway, Spliceosome

MW: 53.3 kDa

Gene Summary: This gene encodes a member of the heat shock protein 70 family, which contains both heat-

inducible and constitutively expressed members. This protein belongs to the latter group, which are also referred to as heat-shock cognate proteins. It functions as a chaperone, and binds to nascent polypeptides to facilitate correct folding. It also functions as an ATPase in the disassembly of clathrin-coated vesicles during transport of membrane components through the cell. Alternatively spliced transcript variants encoding different isoforms have

been found for this gene. [provided by RefSeq, Aug 2011]